

BRFSS Detailed Summary Table for Two Rivers Public Health Department Adults 18 and Older, 2011-2016

Indicators	Overall						Men				Women				LHD Gender Diff. ^o							
	Two Rivers		State of NE		Sig ^d	Two Rivers		State of NE		Sig ^d	Two Rivers		State of NE			Sig ^d						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b		95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)			n ^a	mean or % ^b	95% C.I. ^c (Low - High)			
General Health Status																						
General health fair or poor																						
2011	1,253	13.8%	(11.8 - 16.2)	25,347	14.3%	(13.7 - 14.9)	NS	512	13.3%	(10.4 - 16.9)	10,198	14.8%	(13.9 - 15.7)	NS	741	14.4%	(11.7 - 17.6)	15,149	13.9%	(13.1 - 14.7)	NS	No
2012	897	14.9%	(12.3 - 18.1)	19,132	14.4%	(13.7 - 15.2)	NS	347	16.1%	(12.1 - 21.2)	7,855	14.6%	(13.5 - 15.7)	NS	550	13.8%	(10.6 - 17.8)	11,277	14.3%	(13.4 - 15.2)	NS	No
2013	817	14.6%	(11.9 - 17.7)	17,106	13.9%	(13.1 - 14.8)	NS	334	10.6%	(7.6 - 14.7)	6,963	13.4%	(12.2 - 14.7)	NS	483	18.4%	(14.4 - 23.2)	10,143	14.4%	(13.3 - 15.6)	NS	No
2014	930	11.7%	(9.5 - 14.5)	22,370	13.2%	(12.5 - 13.9)	NS	399	10.6%	(7.6 - 14.5)	9,585	13.5%	(12.4 - 14.5)	NS	531	12.9%	(9.6 - 17.0)	12,785	12.9%	(12.0 - 13.8)	NS	No
2015	795	14.2%	(11.3 - 17.6)	17,539	13.9%	(13.1 - 14.8)	NS	330	13.6%	(9.6 - 19.0)	7,564	13.7%	(12.5 - 14.9)	NS	465	14.7%	(11.1 - 19.3)	9,975	14.2%	(13.1 - 15.3)	NS	No
2016	706	13.6%	(11.0 - 16.7)	15,166	14.7%	(13.8 - 15.6)	NS	325	14.8%	(10.9 - 19.7)	6,633	13.8%	(12.6 - 15.1)	NS	381	12.5%	(9.3 - 16.5)	8,533	15.5%	(14.3 - 16.8)	NS	No
Average number of days physical health was not good in past 30 days																						
2011	1,233	3.0	(2.5 - 3.4)	24,901	3.2	(3.0 - 3.3)	NS	507	3.0	(2.3 - 3.7)	10,067	2.9	(2.7 - 3.1)	NS	726	3.0	(2.4 - 3.5)	14,834	3.4	(3.2 - 3.6)	NS	No
2012	880	3.2	(2.5 - 3.9)	18,819	3.2	(3.1 - 3.4)	NS	346	2.6	(1.7 - 3.5)	7,759	2.9	(2.7 - 3.1)	NS	534	3.8	(2.8 - 4.8)	11,060	3.6	(3.4 - 3.8)	NS	No
2013	798	2.7	(2.3 - 3.2)	16,808	3.1	(2.9 - 3.3)	NS	327	1.8	(1.2 - 2.3)	6,877	2.8	(2.5 - 3.0)	-	471	3.7	(2.9 - 4.4)	9,931	3.4	(3.2 - 3.7)	NS	Yes
2014	917	2.7	(2.2 - 3.2)	22,024	3.0	(2.9 - 3.1)	NS	396	2.4	(1.6 - 3.1)	9,464	2.8	(2.6 - 3.0)	NS	521	3.0	(2.3 - 3.7)	12,560	3.2	(3.0 - 3.4)	NS	No
2015	784	3.5	(2.8 - 4.2)	17,315	3.1	(3.0 - 3.3)	NS	325	2.9	(1.8 - 4.0)	7,476	2.8	(2.6 - 3.0)	NS	459	4.0	(3.1 - 5.0)	9,839	3.5	(3.3 - 3.7)	NS	No
2016	701	3.0	(2.4 - 3.7)	14,984	3.3	(3.1 - 3.5)	NS	325	2.9	(2.1 - 3.7)	6,561	2.9	(2.6 - 3.1)	NS	376	3.2	(2.3 - 4.1)	8,423	3.7	(3.4 - 4.0)	NS	No
Physical health was not good on 14 or more of the past 30 days																						
2011	1,233	9.0%	(7.4 - 11.0)	24,901	9.6%	(9.1 - 10.1)	NS	507	9.5%	(7.1 - 12.6)	10,067	9.0%	(8.3 - 9.8)	NS	726	8.6%	(6.7 - 11.1)	14,834	10.1%	(9.4 - 10.8)	NS	No
2012	880	10.3%	(8.0 - 13.2)	18,819	9.8%	(9.2 - 10.4)	NS	346	8.3%	(5.6 - 12.1)	7,759	8.6%	(7.8 - 9.5)	NS	534	12.3%	(8.8 - 16.8)	11,060	11.0%	(10.1 - 11.8)	NS	No
2013	798	8.3%	(6.5 - 10.4)	16,808	9.2%	(8.5 - 9.9)	NS	327	4.1%	(2.5 - 6.5)	6,877	7.9%	(7.0 - 8.9)	-	471	12.4%	(9.5 - 16.1)	9,931	10.4%	(9.4 - 11.5)	NS	Yes
2014	917	7.5%	(5.8 - 9.7)	22,024	9.0%	(8.4 - 9.6)	NS	396	6.3%	(4.1 - 9.6)	9,464	8.3%	(7.4 - 9.1)	NS	521	8.7%	(6.2 - 11.9)	12,560	9.7%	(9.0 - 10.5)	NS	No
2015	784	10.9%	(8.4 - 14.0)	17,315	9.6%	(9.0 - 10.3)	NS	325	9.0%	(5.7 - 14.1)	7,476	8.6%	(7.7 - 9.6)	NS	459	12.6%	(9.3 - 16.9)	9,839	10.7%	(9.8 - 11.6)	NS	No
2016	701	9.5%	(7.4 - 12.2)	14,984	9.8%	(9.1 - 10.6)	NS	325	9.6%	(6.7 - 13.5)	6,561	8.4%	(7.4 - 9.4)	NS	376	9.5%	(6.6 - 13.6)	8,423	11.2%	(10.2 - 12.3)	NS	No
Average number of days mental health was not good in past 30 days																						
2011	1,235	2.6	(2.1 - 3.1)	25,036	3.1	(2.9 - 3.2)	NS	505	2.3	(1.6 - 3.0)	10,097	2.5	(2.3 - 2.7)	NS	730	2.9	(2.3 - 3.5)	14,939	3.6	(3.4 - 3.8)	NS	No
2012	887	2.6	(2.0 - 3.2)	18,935	3.0	(2.9 - 3.2)	NS	344	2.2	(1.3 - 3.2)	7,786	2.6	(2.4 - 2.8)	NS	543	2.9	(2.1 - 3.7)	11,149	3.5	(3.3 - 3.7)	NS	No
2013	808	2.7	(2.1 - 3.3)	16,889	3.0	(2.8 - 3.1)	NS	333	2.4	(1.5 - 3.3)	6,889	2.3	(2.1 - 2.6)	NS	475	2.9	(2.1 - 3.7)	10,000	3.5	(3.3 - 3.8)	NS	No
2014	919	2.4	(1.8 - 2.9)	22,132	2.8	(2.6 - 2.9)	NS	396	1.9	(1.3 - 2.5)	9,483	2.3	(2.1 - 2.5)	NS	523	2.8	(2.0 - 3.7)	12,649	3.3	(3.1 - 3.5)	NS	No
2015	789	2.8	(2.2 - 3.4)	17,369	2.9	(2.7 - 3.1)	NS	326	2.0	(1.2 - 2.7)	7,491	2.3	(2.1 - 2.6)	NS	463	3.5	(2.6 - 4.5)	9,878	3.5	(3.2 - 3.7)	NS	No
2016	700	2.8	(2.1 - 3.5)	15,035	3.2	(3.0 - 3.4)	NS	324	2.6	(1.6 - 3.6)	6,568	2.4	(2.1 - 2.6)	NS	376	3.1	(2.2 - 3.9)	8,467	4.0	(3.6 - 4.3)	NS	No
Mental health was not good on 14 or more of the past 30 days (i.e., frequent mental distress)																						
2011	1,235	8.0%	(6.3 - 10.1)	25,036	9.2%	(8.7 - 9.7)	NS	505	8.0%	(5.5 - 11.4)	10,097	7.7%	(7.0 - 8.4)	NS	730	8.0%	(5.9 - 10.8)	14,939	10.7%	(9.9 - 11.5)	NS	No
2012	887	7.3%	(5.4 - 10.0)	18,935	9.0%	(8.4 - 9.7)	NS	344	5.7%	(3.2 - 10.0)	7,786	7.4%	(6.6 - 8.3)	NS	543	9.0%	(6.3 - 12.6)	11,149	10.6%	(9.7 - 11.5)	NS	No
2013	808	8.0%	(5.8 - 10.9)	16,889	8.9%	(8.2 - 9.6)	NS	333	7.2%	(4.4 - 11.5)	6,889	6.8%	(5.9 - 7.9)	NS	475	8.8%	(5.8 - 13.2)	10,000	10.9%	(9.8 - 12.0)	NS	No
2014	919	6.9%	(5.0 - 9.4)	22,132	8.2%	(7.6 - 8.8)	NS	396	5.8%	(3.4 - 9.7)	9,483	6.4%	(5.6 - 7.3)	NS	523	8.0%	(5.3 - 11.7)	12,649	9.9%	(9.0 - 10.8)	NS	No
2015	789	7.9%	(5.8 - 10.6)	17,369	8.9%	(8.2 - 9.6)	NS	326	4.8%	(2.8 - 8.3)	7,491	6.9%	(6.0 - 7.9)	NS	463	10.8%	(7.6 - 15.2)	9,878	10.8%	(9.8 - 11.9)	NS	No
2016	700	8.1%	(6.0 - 10.9)	15,035	9.5%	(8.7 - 10.4)	NS	324	7.6%	(4.7 - 12.0)	6,568	7.0%	(6.0 - 8.1)	NS	376	8.6%	(5.8 - 12.7)	8,467	12.0%	(10.8 - 13.3)	NS	No
Average days poor physical or mental health limited usual activities in past 30 days																						
2011	1,246	1.5	(1.2 - 1.8)	25,183	1.9	(1.8 - 2.0)	NS	510	1.3	(0.9 - 1.8)	10,136	1.7	(1.6 - 1.9)	NS	736	1.6	(1.2 - 2.1)	15,047	2.0	(1.9 - 2.1)	NS	No
2012	895	2.1	(1.5 - 2.8)	19,022	2.0	(1.8 - 2.1)	NS	350	1.8	(0.9 - 2.6)	7,819	1.7	(1.5 - 1.9)	NS	545	2.5	(1.6 - 3.4)	11,203	2.2	(2.0 - 2.4)	NS	No
2013	807	1.5	(1.1 - 1.8)	16,986	1.9	(1.7 - 2.0)	NS	333	1.2	(0.7 - 1.6)	6,936	1.7	(1.5 - 1.9)	NS	474	1.8	(1.2 - 2.3)	10,050	2.0	(1.9 - 2.2)	NS	No
2014	924	1.5	(1.1 - 1.8)	22,228	1.8	(1.7 - 1.9)	NS	397	1.3	(0.8 - 1.7)	9,541	1.6	(1.5 - 1.8)	NS	527	1.7	(1.2 - 2.1)	12,687	1.9	(1.8 - 2.1)	NS	No
2015	790	2.5	(1.9 - 3.2)	17,430	1.9	(1.7 - 2.0)	NS	328	2.0	(1.1 - 2.9)	7,529	1.6	(1.4 - 1.8)	NS	462	3.1	(2.2 - 4.1)	9,901	2.1	(1.9 - 2.3)	NS	No
2016	703	1.4	(1.0 - 1.8)	15,084	2.0	(1.8 - 2.2)	-	326	1.2	(0.6 - 1.8)	6,592	1.7	(1.5 - 1.9)	NS	377	1.6	(1.0 - 2.2)	8,492	2.3	(2.1 - 2.6)	NS	No
Poor physical or mental health limited usual activities on 14 or more of the past 30 days																						
2011	1,246	4.6%	(3.4 - 6.1)	25,183	5.8%	(5.4 - 6.2)	NS	510	3.9%	(2.4 - 6.2)	10,136	5.4%	(4.8 - 6.0)	NS	736	5.3%	(3.7 - 7.5)	15,047	6.2%	(5.7 - 6.8)	NS	No
2012	895	7.3%	(5.2 - 10.1)	19,022	6.4%	(5.9 - 6.9)	NS	350	6.4%	(3.7 - 10.8)	7,819	5.3%	(4.7 - 6.0)	NS	545	8.2%	(5.4 - 12.2)	11,203	7.4%	(6.7 - 8.2)	NS	No
2013	807	4.4%	(3.2 - 6.1)	16,986	5.8%	(5.3 - 6.4)	NS	333	2.8%	(1.5 - 5.0)	6,936	5.2%	(4.4 - 6.1)	NS	474	6.0%	(4.1 - 8.8)	10,050	6.5%	(5.7 - 7.3)	NS	No
2014	924	4.7%	(3.4 - 6.4)	22,228	5.8%	(5.4 - 6.4)	NS	397	3.6%	(2.2 - 5.8)	9,541	5.3%	(4.6 - 6.1)	NS	527	5.8%	(3.8 - 8.7)	12,687	6.4%	(5.7 - 7.1)	NS	No
2015	790	8.3%	(6.1 - 11.1)	17,430	5.9%	(5.4 - 6.4)	NS	328	6.2%	(3.6 - 10.6)	7,529	5.1%	(4.5 - 5.9)	NS	462	10.3%	(7.2 - 14.5)	9,901	6.6%	(6.0 - 7.3)	NS	No
2016	703	4.5%	(3.0 - 6.7)	15,084	6.2%	(5.6 - 6.8)	NS	326	3.3%	(1.8 - 6.1)	6,592	4.9%	(4.2 - 5.7)	NS	377	5.7%	(3.4 - 9.4)	8,492	7.4%	(6.6 - 8.5)	NS	No

Indicators	Overall						Men					Women					LHD Gender Diff. ^e					
	Two Rivers			State of NE			Two Rivers		State of NE			Two Rivers		State of NE								
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig. ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig. ^d	n ^a	mean or % ^b		95% C.I. ^c (Low - High)	Sig. ^d			
Health Care Access and Utilization																						
No health care coverage, 18-64 year olds																						
2011	796	20.9%	(17.7 - 24.4)	16,614	19.1%	(18.3 - 20.0)	NS	358	23.4%	(18.6 - 28.9)	7,107	22.0%	(20.7 - 23.4)	NS	438	18.2%	(14.3 - 22.8)	9,507	16.2%	(15.2 - 17.3)	NS	No
2012	566	19.5%	(15.5 - 24.3)	12,310	18.0%	(17.0 - 19.0)	NS	237	19.1%	(13.3 - 26.6)	5,450	20.3%	(18.8 - 21.8)	NS	329	20.0%	(14.8 - 26.4)	6,860	15.7%	(14.5 - 17.0)	NS	No
2013	520	17.2%	(13.6 - 21.5)	10,939	17.6%	(16.4 - 18.9)	NS	236	19.5%	(14.2 - 26.1)	4,720	18.4%	(16.6 - 20.4)	NS	284	14.8%	(10.5 - 20.6)	6,219	16.9%	(15.3 - 18.5)	NS	No
2014	560	16.4%	(12.4 - 21.4)	14,323	15.3%	(14.3 - 16.4)	NS	265	18.6%	(12.7 - 26.4)	6,443	17.0%	(15.4 - 18.7)	NS	295	14.1%	(9.4 - 20.6)	7,880	13.5%	(12.3 - 14.9)	NS	No
2015	484	14.5%	(10.8 - 19.3)	11,342	14.4%	(13.3 - 15.5)	NS	210	16.7%	(11.0 - 24.5)	5,187	15.4%	(13.8 - 17.1)	NS	274	12.3%	(8.1 - 18.3)	6,155	13.4%	(12.0 - 14.9)	NS	No
2016	451	11.9%	(8.7 - 15.9)	9,749	14.7%	(13.6 - 16.0)	NS	216	14.0%	(9.2 - 20.7)	4,538	15.0%	(13.3 - 16.9)	NS	235	9.6%	(6.1 - 14.8)	5,211	14.4%	(12.9 - 16.2)	NS	NS
Has health care coverage, 18-64 year olds ^a																						
2011	796	79.1%	(75.6 - 82.3)	16,614	80.9%	(80.0 - 81.7)	NS	358	76.6%	(71.1 - 81.4)	7,107	78.0%	(76.6 - 79.3)	NS	438	81.8%	(77.2 - 85.7)	9,507	83.8%	(82.7 - 84.8)	NS	No
2012	566	80.5%	(75.7 - 84.5)	12,310	82.0%	(81.0 - 83.0)	NS	237	80.9%	(73.4 - 86.7)	5,450	79.7%	(78.2 - 81.2)	NS	329	80.0%	(73.6 - 85.2)	6,860	84.3%	(83.0 - 85.5)	NS	No
2013	520	82.8%	(78.5 - 86.4)	10,939	82.4%	(81.1 - 83.6)	NS	236	80.5%	(73.9 - 85.8)	4,720	81.6%	(79.6 - 83.4)	NS	284	85.2%	(79.4 - 89.5)	6,219	83.1%	(81.5 - 84.7)	NS	No
2014	560	83.6%	(78.6 - 87.6)	14,323	84.7%	(83.6 - 85.7)	NS	265	81.4%	(73.6 - 87.3)	6,443	83.0%	(81.3 - 84.6)	NS	295	85.9%	(79.4 - 90.6)	7,880	86.5%	(85.1 - 87.7)	NS	No
2015	484	85.5%	(80.7 - 89.2)	11,342	85.6%	(84.5 - 86.7)	NS	210	83.3%	(75.5 - 89.0)	5,187	84.6%	(82.9 - 86.2)	NS	274	87.7%	(81.7 - 91.9)	6,155	86.6%	(85.1 - 88.0)	NS	No
2016	451	88.1%	(84.1 - 91.3)	9,749	85.3%	(84.0 - 86.4)	NS	216	86.0%	(79.3 - 90.8)	4,538	85.0%	(83.1 - 86.7)	NS	235	90.4%	(85.2 - 93.9)	5,211	85.6%	(83.8 - 87.1)	NS	No
No personal doctor or health care provider																						
2011	1,254	15.1%	(12.6 - 17.8)	25,340	18.4%	(17.6 - 19.1)	NS	512	21.1%	(17.0 - 25.8)	10,192	25.1%	(23.8 - 26.3)	NS	742	9.2%	(6.8 - 12.3)	15,148	12.0%	(11.1 - 12.8)	NS	Yes
2012	899	18.7%	(15.2 - 22.7)	19,132	17.2%	(16.4 - 18.1)	NS	349	24.1%	(18.5 - 30.9)	7,847	23.7%	(22.3 - 25.1)	NS	550	13.3%	(9.7 - 18.2)	11,285	11.0%	(10.1 - 12.0)	NS	Yes
2013	819	19.2%	(15.9 - 23.1)	17,093	20.9%	(19.8 - 22.0)	NS	336	24.1%	(18.9 - 30.2)	6,956	27.5%	(25.7 - 29.4)	NS	483	14.5%	(10.6 - 19.5)	10,137	14.4%	(13.2 - 15.7)	NS	No
2014	930	19.9%	(16.3 - 24.0)	22,354	20.2%	(19.2 - 21.2)	NS	398	28.1%	(22.3 - 34.8)	9,569	27.0%	(25.5 - 28.5)	NS	532	11.8%	(8.2 - 16.5)	12,785	13.6%	(12.5 - 14.8)	NS	Yes
2015	793	22.1%	(18.3 - 26.5)	17,509	19.7%	(18.7 - 20.8)	NS	329	28.7%	(22.5 - 35.8)	7,542	25.7%	(24.1 - 27.5)	NS	464	15.7%	(11.5 - 21.1)	9,967	13.9%	(12.7 - 15.2)	NS	Yes
2016	705	23.7%	(19.8 - 28.1)	15,138	19.1%	(18.0 - 20.2)	NS	326	33.4%	(27.2 - 40.2)	6,617	24.5%	(22.8 - 26.2)	+	379	14.1%	(9.9 - 19.6)	8,521	13.8%	(12.5 - 15.2)	NS	Yes
Has a personal doctor or health care provider (one or more than one) ^a																						
2011	1,254	84.9%	(82.2 - 87.4)	25,340	81.6%	(80.9 - 82.4)	NS	512	78.9%	(74.2 - 83.0)	10,192	74.9%	(73.7 - 76.2)	NS	742	90.8%	(87.7 - 93.2)	15,148	88.0%	(87.2 - 88.9)	NS	Yes
2012	899	81.3%	(77.3 - 84.8)	19,132	82.8%	(81.9 - 83.6)	NS	349	75.9%	(69.1 - 81.5)	7,847	76.3%	(74.9 - 77.7)	NS	550	86.7%	(81.8 - 90.3)	11,285	89.0%	(88.0 - 89.9)	NS	Yes
2013	819	80.8%	(76.9 - 84.1)	17,093	79.1%	(78.0 - 80.2)	NS	336	75.9%	(69.8 - 81.1)	6,956	72.5%	(70.6 - 74.3)	NS	483	85.5%	(80.5 - 89.4)	10,137	85.6%	(84.3 - 86.8)	NS	No
2014	930	80.1%	(76.0 - 83.7)	22,354	79.8%	(78.8 - 80.8)	NS	398	71.9%	(65.2 - 77.7)	9,569	73.0%	(71.5 - 74.5)	NS	532	88.2%	(83.5 - 91.8)	12,785	86.4%	(85.2 - 87.5)	NS	Yes
2015	793	77.9%	(73.5 - 81.7)	17,509	80.3%	(79.2 - 81.3)	NS	329	71.3%	(64.2 - 77.5)	7,542	74.3%	(72.5 - 75.9)	NS	464	84.3%	(78.9 - 88.5)	9,967	86.1%	(84.8 - 87.3)	NS	Yes
2016	705	76.3%	(71.9 - 80.2)	15,138	80.9%	(79.8 - 82.0)	NS	326	66.6%	(59.8 - 72.8)	6,617	75.5%	(73.8 - 77.2)	-	379	85.9%	(80.4 - 90.1)	8,521	86.2%	(84.8 - 87.5)	NS	Yes
Has a personal doctor or health care provider (one or more than one), aged 65 years and older ^a																						
2011	450	96.1%	(93.3 - 97.7)	8,584	95.7%	(95.1 - 96.2)	NS	153	96.3%	(90.0 - 98.7)	3,033	94.4%	(93.4 - 95.3)	NS	297	95.9%	(92.6 - 97.8)	5,551	96.6%	(95.9 - 97.1)	NS	No
2012	331	95.8%	(92.3 - 97.7)	6,711	95.6%	(94.7 - 96.3)	NS	112	93.2%	(85.9 - 96.9)	2,368	93.6%	(91.9 - 95.0)	NS	219	97.5%	(93.2 - 99.1)	4,343	97.1%	(96.3 - 97.7)	NS	No
2013	288	94.0%	(89.1 - 96.8)	6,015	93.9%	(92.9 - 94.8)	NS	95	91.8%	(79.8 - 96.9)	2,188	92.3%	(90.4 - 93.8)	NS	193	95.5%	(90.9 - 97.8)	3,827	95.2%	(93.9 - 96.2)	NS	No
2014	366	95.4%	(92.1 - 97.3)	7,833	95.1%	(94.4 - 95.7)	NS	134	93.7%	(87.4 - 96.9)	3,057	93.5%	(92.2 - 94.6)	NS	232	96.6%	(92.2 - 98.5)	4,776	96.4%	(95.7 - 96.9)	NS	No
2015	304	95.0%	(91.3 - 97.2)	6,022	94.8%	(93.9 - 95.5)	NS	118	92.6%	(85.4 - 96.4)	2,297	93.6%	(92.1 - 94.8)	NS	186	97.2%	(93.0 - 98.9)	3,725	95.7%	(94.6 - 96.6)	NS	No
2016	251	93.4%	(88.3 - 96.3)	5,270	95.1%	(94.2 - 95.9)	NS	107	91.9%	(83.2 - 96.3)	2,025	94.5%	(93.1 - 95.6)	NS	144	94.6%	(87.2 - 97.8)	3,245	95.6%	(94.4 - 96.6)	NS	No
Needed to see a doctor but could not due to cost in past year ^a																						
2011	1,254	11.2%	(9.2 - 13.7)	25,350	12.5%	(11.9 - 13.2)	NS	513	9.0%	(6.4 - 12.6)	10,203	10.7%	(9.9 - 11.6)	NS	741	13.4%	(10.5 - 16.9)	15,147	14.2%	(13.4 - 15.2)	NS	No
2012	901	13.9%	(11.1 - 17.3)	19,144	12.8%	(12.1 - 13.6)	NS	350	12.6%	(8.6 - 18.2)	7,859	11.1%	(10.0 - 12.2)	NS	551	15.1%	(11.5 - 19.7)	11,285	14.4%	(13.4 - 15.5)	NS	No
2013	817	13.8%	(10.9 - 17.2)	17,103	13.0%	(12.1 - 13.9)	NS	336	14.5%	(10.3 - 20.0)	6,963	10.9%	(9.7 - 12.2)	NS	481	13.1%	(9.5 - 17.7)	10,140	15.0%	(13.8 - 16.4)	NS	No
2014	932	11.6%	(8.8 - 15.1)	22,359	11.8%	(11.1 - 12.6)	NS	400	8.6%	(5.1 - 14.1)	9,588	10.2%	(9.1 - 11.3)	NS	532	14.5%	(10.5 - 19.6)	12,771	13.4%	(12.4 - 14.6)	NS	No
2015	793	12.1%	(9.3 - 15.6)	17,522	11.5%	(10.7 - 12.3)	NS	330	11.0%	(7.0 - 16.8)	7,559	9.8%	(8.7 - 11.1)	NS	463	13.1%	(9.6 - 17.7)	9,963	13.1%	(12.0 - 14.3)	NS	No
2016	705	11.4%	(8.8 - 14.6)	15,156	12.1%	(11.2 - 13.1)	NS	325	7.8%	(4.9 - 12.3)	6,623	10.1%	(8.9 - 11.4)	NS	380	14.9%	(11.0 - 19.8)	8,533	14.0%	(12.7 - 15.5)	NS	No
Had a routine checkup in past year																						
2011	1,238	55.9%	(52.4 - 59.3)	24,983	57.7%	(56.8 - 58.7)	NS	505	47.7%	(42.5 - 53.0)	10,049	50.6%	(49.2 - 52.0)	NS	733	63.8%	(59.4 - 68.0)	14,934	64.6%	(63.4 - 65.8)	NS	Yes
2012	886	55.1%	(50.8 - 59.3)	18,929	60.4%	(59.4 - 61.4)	-	345	49.4%	(43.0 - 55.8)	7,789	55.0%	(53.5 - 56.6)	NS	541	60.7%	(55.1 - 66.0)	11,140	65.6%	(64.3 - 66.9)	NS	No
2013	806	59.0%	(54.7 - 63.1)	16,919	61.6%	(60.4 - 62.8)	NS	327	54.1%	(47.6 - 60.5)	6,899	56.2%	(54.3 - 58.1)	NS	479	63.6%	(58.0 - 68.8)	10,020	66.8%	(65.3 - 68.4)	NS	No
2014	914	60.5%	(56.2 - 64.7)	22,090	63.3%	(62.3 - 64.4)	NS	395	53.8%	(47.4 - 60.1)	9,488	57.7%	(56.1 - 59.3)	NS	519	67.2%	(61.7 - 72.3)	12,602	68.8%	(67.4 - 70.2)	NS	Yes
2015	784	63.6%	(59.0 - 68.0)	17,331	63.9%	(62.8 - 65.1)	NS	325	61.7%	(54.7 - 68.3)	7,470	58.7%	(56.9 - 60.5)	NS	459	65.4%	(59.2 - 71.1)	9,861	69.1%	(67.5 - 70.6)	NS	No
2016	704	61.7%	(57.2 - 66.0)	15,060	65.4%	(64.1 - 66.6)	NS	324	59.5%	(52.8 - 65.9)	6,582	60.6%	(58.7 - 62.5)	NS	380	63.8%	(57.8 - 69.5)	8,478	70.0%	(68.4 - 71.6)	NS	No

Table with columns for Indicators, Overall (Two Rivers, State of NE), Men (Two Rivers, State of NE), Women (Two Rivers, State of NE), and LHD Gender Diff. Rows include Heart Disease and Stroke, Blood Pressure and Cholesterol, and various sub-indicators.

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Two Rivers			State of NE			Two Rivers			State of NE			Two Rivers			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Up-to-date on colon cancer screening, 50-75 year olds^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	429	56.4%	(50.6 - 62.1)	9,022	61.1%	(59.6 - 62.5)	NS	145	53.5%	(43.8 - 62.8)	3,733	58.4%	(56.1 - 60.6)	NS	284	58.5%	(51.2 - 65.3)	5,289	63.6%	(61.7 - 65.4)	NS	No
2013	359	63.0%	(56.8 - 68.8)	7,979	62.8%	(61.1 - 64.4)	NS	138	61.4%	(51.2 - 70.7)	3,275	61.0%	(58.5 - 63.6)	NS	221	64.2%	(56.5 - 71.2)	4,704	64.4%	(62.2 - 66.6)	NS	No
2014	428	59.6%	(54.1 - 64.8)	10,646	64.1%	(62.8 - 65.5)	NS	183	53.8%	(45.4 - 62.0)	4,681	63.0%	(61.0 - 65.1)	NS	245	64.7%	(57.7 - 71.1)	5,965	65.2%	(63.4 - 67.0)	NS	No
2015	343	62.6%	(55.9 - 68.9)	8,007	65.2%	(63.6 - 66.7)	NS	149	60.5%	(50.5 - 69.6)	3,446	63.7%	(61.3 - 66.1)	NS	194	64.9%	(55.9 - 72.9)	4,561	66.6%	(64.6 - 68.5)	NS	No
2016	313	67.0%	(60.6 - 72.7)	7,036	66.0%	(64.3 - 67.6)	NS	136	68.3%	(58.3 - 76.9)	3,073	65.2%	(62.8 - 67.6)	NS	177	65.9%	(57.5 - 73.4)	3,963	66.7%	(64.5 - 68.9)	NS	No
Up-to-date on breast cancer screening, female 50-74 year olds^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	274	72.9%	(66.1 - 78.9)	5,200	74.9%	(73.2 - 76.5)	NS	-	-	-	-	-	-	-	274	72.9%	(66.1 - 78.9)	5,200	74.9%	(73.2 - 76.5)	NS	NA
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2014	248	72.0%	(65.3 - 77.8)	5,904	76.1%	(74.5 - 77.7)	NS	-	-	-	-	-	-	-	248	72.0%	(65.3 - 77.8)	5,904	76.1%	(74.5 - 77.7)	NS	NA
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2016	172	75.0%	(66.8 - 81.7)	3,914	73.4%	(71.3 - 75.4)	NS	-	-	-	-	-	-	-	172	75.0%	(66.8 - 81.7)	3,914	73.4%	(71.3 - 75.4)	NS	NA
Up-to-date on cervical cancer screening, female 21-65 year olds^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	259	83.0%	(76.9 - 87.7)	5,055	83.9%	(82.5 - 85.2)	NS	-	-	-	-	-	-	-	259	83.0%	(76.9 - 87.7)	5,055	83.9%	(82.5 - 85.2)	NS	NA
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2014	218	81.6%	(74.5 - 87.0)	5,779	81.7%	(80.0 - 83.3)	NS	-	-	-	-	-	-	-	218	81.6%	(74.5 - 87.0)	5,779	81.7%	(80.0 - 83.3)	NS	NA
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2016	166	76.2%	(67.8 - 83.0)	3,814	77.7%	(75.5 - 79.8)	NS	-	-	-	-	-	-	-	166	76.2%	(67.8 - 83.0)	3,814	77.7%	(75.5 - 79.8)	NS	NA
Arthritis																						
Ever told they have arthritis																						
2011	1,253	25.0%	(22.5 - 27.6)	25,285	23.4%	(22.8 - 24.1)	NS	513	24.1%	(20.4 - 28.3)	10,184	20.1%	(19.2 - 21.1)	NS	740	25.8%	(22.5 - 29.3)	15,101	26.6%	(25.7 - 27.6)	NS	No
2012	896	25.2%	(22.0 - 28.6)	19,089	24.6%	(23.8 - 25.4)	NS	348	23.1%	(18.4 - 28.4)	7,839	21.5%	(20.3 - 22.6)	NS	548	27.3%	(23.1 - 31.8)	11,250	27.7%	(26.6 - 28.8)	NS	No
2013	813	26.6%	(23.4 - 30.0)	17,017	24.7%	(23.8 - 25.7)	NS	333	22.3%	(17.7 - 27.6)	6,925	21.6%	(20.2 - 23.0)	NS	480	30.8%	(26.4 - 35.5)	10,092	27.8%	(26.5 - 29.2)	NS	No
2014	931	22.5%	(19.8 - 25.5)	22,307	24.6%	(23.8 - 25.4)	NS	398	18.7%	(15.0 - 23.0)	9,560	21.6%	(20.5 - 22.8)	NS	533	26.2%	(22.4 - 30.5)	12,747	27.4%	(26.3 - 28.6)	NS	No
2015	792	24.6%	(21.2 - 28.2)	17,472	23.4%	(22.6 - 24.3)	NS	328	19.1%	(14.8 - 24.5)	7,540	19.7%	(18.5 - 20.9)	NS	464	29.9%	(25.1 - 35.1)	9,932	27.1%	(25.9 - 28.4)	NS	Yes
2016	706	24.4%	(21.1 - 28.0)	15,137	24.6%	(23.6 - 25.6)	NS	326	21.2%	(16.6 - 26.7)	6,622	21.7%	(20.3 - 23.2)	NS	380	27.5%	(22.9 - 32.6)	8,515	27.4%	(26.0 - 28.8)	NS	No
Currently have activity limitations due to arthritis, among those ever told they have arthritis^a																						
2011	419	38.7%	(33.4 - 44.2)	7,973	45.2%	(43.6 - 46.8)	NS	162	35.2%	(27.4 - 44.0)	2,711	42.6%	(40.0 - 45.2)	NS	257	41.8%	(35.0 - 49.0)	5,262	47.1%	(45.1 - 49.2)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	270	38.4%	(31.7 - 45.5)	5,460	42.4%	(40.3 - 44.6)	NS	88	36.0%	(25.0 - 48.7)	1,861	41.0%	(37.4 - 44.6)	NS	182	40.1%	(32.3 - 48.5)	3,599	43.5%	(40.8 - 46.2)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	256	43.8%	(36.0 - 51.9)	5,146	44.0%	(41.9 - 46.1)	NS	83	45.0%	(31.9 - 58.9)	1,852	41.9%	(38.6 - 45.3)	NS	173	43.0%	(33.8 - 52.8)	3,294	45.5%	(42.9 - 48.1)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Asthma																						
Ever told they have asthma																						
2011	1,251	11.4%	(9.4 - 13.7)	25,327	11.5%	(10.9 - 12.1)	NS	510	12.0%	(9.1 - 15.7)	10,194	10.5%	(9.6 - 11.3)	NS	741	10.8%	(8.2 - 14.0)	15,133	12.4%	(11.6 - 13.3)	NS	No
2012	897	14.2%	(11.3 - 17.7)	19,105	10.8%	(10.2 - 11.5)	NS	349	11.4%	(7.6 - 16.8)	7,847	9.7%	(8.8 - 10.7)	NS	548	16.9%	(12.8 - 21.9)	11,258	11.9%	(11.1 - 12.9)	NS	No
2013	816	7.6%	(5.6 - 10.3)	17,068	11.2%	(10.5 - 12.0)	-	334	5.4%	(3.1 - 9.2)	6,946	9.6%	(8.6 - 10.8)	NS	482	9.9%	(6.9 - 14.0)	10,122	12.8%	(11.7 - 13.9)	NS	No
2014	929	9.5%	(7.3 - 12.4)	22,355	12.2%	(11.5 - 13.0)	NS	398	8.9%	(5.7 - 13.7)	9,583	10.8%	(9.8 - 11.9)	NS	531	10.1%	(7.3 - 13.8)	12,772	13.6%	(12.6 - 14.7)	NS	No
2015	795	12.5%	(9.8 - 15.7)	17,492	12.1%	(11.3 - 12.9)	NS	331	8.8%	(5.7 - 13.3)	7,554	10.7%	(9.6 - 12.0)	NS	464	16.1%	(12.2 - 20.9)	9,938	13.4%	(12.3 - 14.5)	NS	No
2016	705	10.2%	(7.9 - 13.2)	15,144	12.4%	(11.5 - 13.4)	NS	325	8.6%	(5.6 - 13.0)	6,622	10.4%	(9.2 - 11.8)	NS	380	11.8%	(8.5 - 16.2)	8,522	14.3%	(13.1 - 15.7)	NS	No
Currently have asthma																						
2011	1,247	6.3%	(5.0 - 8.1)	25,257	7.3%	(6.9 - 7.8)	NS	508	6.7%	(4.7 - 9.6)	10,170	6.0%	(5.4 - 6.7)	NS	739	6.0%	(4.3 - 8.2)	15,087	8.6%	(8.0 - 9.4)	NS	No
2012	890	9.4%	(7.0 - 12.4)	19,053	7.4%	(6.9 - 7.9)	NS	347	6.8%	(4.0 - 11.1)	7,832	6.1%	(5.4 - 6.9)	NS	543	11.9%	(8.4 - 16.5)	11,221	8.7%	(7.9 - 9.4)	NS	No
2013	815	5.5%	(3.8 - 8.0)	17,024	7.3%	(6.7 - 8.0)	NS	333	3.5%	(1.8 - 6.9)	6,930	5.5%	(4.8 - 6.4)	NS	482	7.5%	(4.8 - 11.5)	10,094	9.1%	(8.2 - 10.0)	NS	No
2014	926	5.3%	(3.8 - 7.3)	22,289	7.7%	(7.2 - 8.3)	NS	398	4.2%	(2.4 - 7.5)	9,562	6.2%	(5.5 - 7.0)	NS	528	6.3%	(4.3 - 9.2)	12,727	9.2%	(8.4 - 10.1)	NS	No
2015	791	7.8%	(5.7 - 10.4)	17,435	7.2%	(6.6 - 7.8)	NS	330	5.6%	(3.2 - 9.6)	7,533	5.4%	(4.7 - 6.2)	NS	461	9.9%	(6.9 - 13.9)	9,902	8.9%	(8.0 - 9.9)	NS	No
2016	701	7.5%	(5.6 - 10.1)	15,116	8.3%	(7.5 - 9.1)	NS	323	6.0%	(3.6 - 9.9)	6,609	6.1%	(5.2 - 7.1)	NS	378	9.0%	(6.2 - 12.9)	8,507	10.4%	(9.3 - 11.6)	NS	No

Indicators	Overall								Men					Women					LHD Gender Diff. ^e			
	Two Rivers			State of NE			Sig ^d	Two Rivers		State of NE		Sig ^d	Two Rivers		State of NE		Sig ^d					
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b		95% C.I. ^c (Low - High)				
Chronic Obstructive Pulmonary Disease (COPD)																						
Ever told they have COPD																						
2011	1,248	3.7%	(2.6 - 5.1)	25,280	5.0%	(4.6 - 5.3)	NS	511	3.0%	(1.8 - 5.1)	10,171	4.4%	(3.9 - 4.9)	NS	737	4.3%	(2.8 - 6.5)	15,109	5.5%	(5.0 - 6.0)	NS	No
2012	894	4.5%	(3.2 - 6.5)	19,075	5.3%	(4.9 - 5.8)	NS	346	3.6%	(2.0 - 6.5)	7,832	4.7%	(4.1 - 5.3)	NS	548	5.4%	(3.4 - 8.4)	11,243	6.0%	(5.4 - 6.6)	NS	No
2013	815	4.6%	(3.3 - 6.4)	17,035	5.3%	(4.9 - 5.8)	NS	333	3.7%	(2.2 - 6.2)	6,932	4.8%	(4.2 - 5.5)	NS	482	5.5%	(3.6 - 8.3)	10,103	5.8%	(5.2 - 6.6)	NS	No
2014	926	5.7%	(4.3 - 7.6)	22,313	5.8%	(5.3 - 6.2)	NS	395	5.2%	(3.4 - 7.9)	9,555	5.5%	(4.9 - 6.2)	NS	531	6.3%	(4.3 - 9.0)	12,758	6.1%	(5.5 - 6.7)	NS	No
2015	792	6.5%	(4.8 - 8.8)	17,466	5.4%	(5.0 - 5.9)	NS	329	4.4%	(2.6 - 7.4)	7,536	4.8%	(4.2 - 5.4)	NS	463	8.6%	(5.9 - 12.3)	9,930	6.1%	(5.5 - 6.7)	NS	No
2016	706	5.8%	(4.2 - 7.9)	15,119	5.8%	(5.3 - 6.4)	NS	326	4.2%	(2.4 - 7.0)	6,612	5.1%	(4.4 - 6.0)	NS	380	7.4%	(5.0 - 10.8)	8,507	6.5%	(5.7 - 7.4)	NS	No
Kidney Disease																						
Ever told they have kidney disease																						
2011	1,254	1.7%	(1.1 - 2.5)	25,345	2.2%	(2.0 - 2.4)	NS	514	1.3%	(0.5 - 2.9)	10,208	2.1%	(1.8 - 2.5)	NS	740	2.0%	(1.3 - 3.3)	15,137	2.2%	(2.0 - 2.5)	NS	No
2012	893	2.1%	(1.2 - 3.6)	19,122	2.4%	(2.2 - 2.7)	NS	345	2.2%	(1.0 - 4.8)	7,850	2.2%	(1.8 - 2.6)	NS	548	2.0%	(1.0 - 4.1)	11,272	2.7%	(2.3 - 3.1)	NS	No
2013	815	2.0%	(1.1 - 3.5)	17,080	2.0%	(1.8 - 2.3)	NS	335	1.7%	(0.7 - 3.8)	6,953	1.9%	(1.5 - 2.4)	NS	480	2.3%	(1.1 - 5.0)	10,127	2.1%	(1.8 - 2.6)	NS	No
2014	931	2.2%	(1.5 - 3.2)	22,362	2.1%	(1.9 - 2.4)	NS	400	1.2%	(0.7 - 2.3)	9,586	2.0%	(1.7 - 2.4)	NS	531	3.1%	(1.9 - 5.1)	12,776	2.3%	(2.0 - 2.6)	NS	No
2015	792	1.7%	(0.9 - 3.1)	17,502	2.4%	(2.1 - 2.7)	NS	329	3.1%	(1.6 - 6.0)	7,550	2.2%	(1.8 - 2.7)	NS	463	0.3%	(0.1 - 0.9)	9,952	2.5%	(2.1 - 2.9)	-	Yes
2016	706	2.4%	(1.5 - 3.9)	15,150	2.8%	(2.4 - 3.2)	NS	326	1.8%	(0.8 - 3.6)	6,624	2.2%	(1.8 - 2.8)	NS	380	3.1%	(1.7 - 5.7)	8,526	3.4%	(2.8 - 4.0)	NS	No
Tobacco & E-Cigarettes																						
Current cigarette smoking ^a																						
2011	1,249	17.6%	(15.0 - 20.5)	25,324	20.0%	(19.3 - 20.7)	NS	510	19.3%	(15.4 - 23.9)	10,189	22.1%	(21.0 - 23.3)	NS	739	15.9%	(12.7 - 19.8)	15,135	17.9%	(17.0 - 18.9)	NS	No
2012	894	19.2%	(15.9 - 23.0)	18,985	19.7%	(18.9 - 20.6)	NS	347	20.7%	(15.7 - 26.8)	7,801	21.4%	(20.1 - 22.7)	NS	547	17.7%	(13.7 - 22.6)	11,184	18.1%	(17.0 - 19.2)	NS	No
2013	796	16.4%	(13.4 - 20.0)	16,687	18.5%	(17.5 - 19.5)	NS	325	17.3%	(12.8 - 22.9)	6,790	19.8%	(18.3 - 21.4)	NS	471	15.6%	(11.8 - 20.4)	9,897	17.2%	(15.9 - 18.5)	NS	No
2014	906	16.4%	(13.3 - 20.1)	21,729	17.3%	(16.5 - 18.2)	NS	388	20.5%	(15.3 - 26.7)	9,311	18.5%	(17.3 - 19.9)	NS	518	12.5%	(9.2 - 16.7)	12,418	16.2%	(15.1 - 17.3)	NS	No
2015	775	18.1%	(14.6 - 22.2)	17,079	17.1%	(16.2 - 18.1)	NS	324	18.5%	(13.3 - 25.2)	7,355	18.4%	(17.0 - 19.9)	NS	451	17.7%	(13.4 - 23.0)	9,724	15.8%	(14.7 - 17.1)	NS	No
2016	686	15.8%	(12.6 - 19.5)	14,790	17.0%	(16.0 - 18.1)	NS	317	17.2%	(12.6 - 23.1)	6,463	18.6%	(17.1 - 20.3)	NS	369	14.3%	(10.4 - 19.4)	8,327	15.4%	(14.1 - 16.8)	NS	No
Attempted to quit smoking in past year, among current cigarette smokers																						
2011	174	52.0%	(43.3 - 60.5)	4,195	55.6%	(53.5 - 57.7)	NS	86	57.5%	(45.3 - 68.8)	1,914	53.4%	(50.4 - 56.3)	NS	88	45.5%	(33.7 - 57.7)	2,281	58.3%	(55.4 - 61.2)	NS	No
2012	145	56.9%	(46.4 - 66.8)	3,023	57.1%	(54.7 - 59.6)	NS	62	55.8%	(40.6 - 70.1)	1,406	55.2%	(51.7 - 58.7)	NS	83	58.1%	(44.1 - 70.9)	1,617	59.3%	(55.9 - 62.7)	NS	No
2013	107	59.6%	(48.4 - 69.9)	2,546	57.1%	(54.1 - 60.2)	NS	50	63.9%	(47.1 - 77.8)	1,147	55.9%	(51.5 - 60.3)	NS	57	55.1%	(40.1 - 69.3)	1,399	58.5%	(54.3 - 62.6)	NS	No
2014	116	54.1%	(42.2 - 65.5)	3,241	58.2%	(55.5 - 60.9)	NS	62	55.4%	(38.9 - 70.8)	1,489	57.9%	(54.0 - 61.8)	NS	54	52.0%	(36.1 - 67.5)	1,752	58.5%	(54.6 - 62.2)	NS	No
2015	107	65.5%	(54.1 - 75.4)	2,476	59.1%	(56.1 - 62.0)	NS	42	-*	-* - *	1,145	59.2%	(54.8 - 63.5)	NS	65	65.4%	(50.7 - 77.7)	1,331	58.9%	(54.8 - 62.9)	NS	NA
2016	94	46.5%	(35.1 - 58.3)	2,181	54.6%	(51.2 - 58.0)	NS	48	-*	-* - *	1,049	52.7%	(47.9 - 57.5)	NA	46	-*	-* - *	1,132	56.9%	(52.1 - 61.5)	NA	NA
Current smokeless tobacco use ^a																						
2011	1,256	9.9%	(7.9 - 12.4)	25,406	5.6%	(5.2 - 6.0)	+	514	19.0%	(15.2 - 23.5)	10,231	10.5%	(9.7 - 11.4)	+	742	1.1%	(0.5 - 2.8)	15,175	0.8%	(0.6 - 1.0)	NS	Yes
2012	895	7.6%	(5.6 - 10.4)	19,041	5.1%	(4.6 - 5.6)	NS	348	15.2%	(11.1 - 20.4)	7,828	9.5%	(8.7 - 10.5)	+	547	0.2%	(0.0 - 1.2)	11,213	0.8%	(0.6 - 1.2)	NS	Yes
2013	796	8.9%	(6.5 - 12.2)	16,732	5.3%	(4.7 - 5.9)	+	326	17.5%	(12.8 - 23.5)	6,813	10.1%	(9.0 - 11.2)	+	470	0.7%	(0.2 - 2.9)	9,919	0.7%	(0.5 - 0.9)	NS	Yes
2014	909	6.6%	(4.6 - 9.2)	21,797	4.7%	(4.2 - 5.1)	NS	388	12.8%	(9.0 - 17.8)	9,340	8.5%	(7.7 - 9.3)	NS	521	0.6%	(0.2 - 2.0)	12,457	1.0%	(0.7 - 1.3)	NS	Yes
2015	777	7.9%	(5.5 - 11.2)	17,123	5.5%	(4.9 - 6.1)	NS	324	15.6%	(10.9 - 21.8)	7,372	9.9%	(8.9 - 11.1)	NS	453	0.3%	(0.1 - 1.3)	9,751	1.1%	(0.8 - 1.6)	NS	Yes
2016	689	10.4%	(7.7 - 13.8)	14,830	5.7%	(5.1 - 6.2)	+	317	20.6%	(15.5 - 26.8)	6,478	10.5%	(9.5 - 11.7)	+	372	0.4%	(0.1 - 2.1)	8,352	0.9%	(0.6 - 1.3)	NS	Yes
Has rule not allowing smoking anywhere inside their home																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	383	88.4%	(83.5 - 92.0)	7,750	88.7%	(87.4 - 89.8)	NS	152	88.4%	(80.2 - 93.5)	3,121	88.3%	(86.2 - 90.0)	NS	231	88.4%	(82.1 - 92.7)	4,629	89.1%	(87.5 - 90.5)	NS	No
2014	446	90.4%	(86.9 - 93.0)	10,582	89.0%	(87.9 - 90.0)	NS	184	88.6%	(82.3 - 92.9)	4,448	87.9%	(86.1 - 89.5)	NS	262	92.0%	(88.2 - 94.6)	6,134	90.0%	(88.6 - 91.2)	NS	No
2015	354	87.1%	(81.5 - 91.2)	7,816	90.1%	(88.9 - 91.1)	NS	151	87.7%	(77.5 - 93.7)	3,261	89.2%	(87.2 - 90.9)	NS	203	86.5%	(79.9 - 91.2)	4,555	90.9%	(89.6 - 92.1)	NS	No
2016	335	90.5%	(85.7 - 93.8)	7,109	90.8%	(89.6 - 91.8)	NS	153	93.4%	(87.1 - 96.7)	3,122	91.2%	(89.8 - 92.5)	NS	182	87.5%	(79.4 - 92.7)	3,987	90.4%	(88.5 - 92.0)	NS	No
Lifetime e-cigarette use																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	689	18.0%	(14.5 - 22.1)	14,819	22.6%	(21.4 - 23.9)	NS	317	21.9%	(16.5 - 28.5)	6,474	25.1%	(23.3 - 27.0)	NS	372	14.2%	(10.2 - 19.4)	8,345	20.2%	(18.7 - 21.9)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff.°			
	Two Rivers			State of NE			Sig ^d	Two Rivers			State of NE			Sig ^d	Two Rivers			State of NE			Sig ^d	
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b		95% C.I. ^c (Low - High)
Current e-cigarette use																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	689	5.1%	(3.2 - 7.9)	14,819	4.9%	(4.3 - 5.6)	NS	317	5.7%	(3.0 - 10.8)	6,474	5.3%	(4.5 - 6.4)	NS	372	4.4%	(2.4 - 8.1)	8,345	4.5%	(3.7 - 5.6)	NS	No
Overweight and Obesity																						
Obese (BMI=30+)^																						
2011	1,214	30.8%	(27.6 - 34.1)	24,366	28.4%	(27.6 - 29.2)	NS	510	33.5%	(28.7 - 38.8)	10,102	29.2%	(28.0 - 30.4)	NS	704	28.0%	(24.2 - 32.2)	14,264	27.6%	(26.5 - 28.8)	NS	No
2012	857	31.3%	(27.5 - 35.3)	18,385	28.6%	(27.7 - 29.6)	NS	345	32.5%	(26.9 - 38.6)	7,781	29.2%	(27.9 - 30.6)	NS	512	30.0%	(25.2 - 35.3)	10,604	28.1%	(26.8 - 29.3)	NS	No
2013	793	33.2%	(29.4 - 37.3)	16,250	29.6%	(28.4 - 30.7)	NS	331	32.4%	(26.7 - 38.6)	6,860	30.8%	(29.1 - 32.5)	NS	462	34.1%	(29.0 - 39.5)	9,390	28.4%	(26.9 - 29.9)	NS	No
2014	887	29.9%	(26.2 - 33.7)	21,130	30.2%	(29.2 - 31.3)	NS	392	30.0%	(24.7 - 35.9)	9,399	31.7%	(30.2 - 33.2)	NS	495	29.7%	(25.0 - 34.8)	11,731	28.7%	(27.4 - 30.1)	NS	No
2015	738	29.3%	(25.4 - 33.5)	16,265	31.4%	(30.3 - 32.5)	NS	320	28.0%	(22.5 - 34.3)	7,323	32.9%	(31.3 - 34.6)	NS	418	30.7%	(25.4 - 36.6)	8,942	29.8%	(28.3 - 31.3)	NS	No
2016	659	32.3%	(28.0 - 36.8)	14,173	32.0%	(30.8 - 33.2)	NS	316	31.9%	(25.9 - 38.5)	6,460	32.6%	(30.8 - 34.3)	NS	343	32.7%	(27.0 - 39.1)	7,713	31.4%	(29.7 - 33.1)	NS	No
Overweight or Obese (BMI=25+)																						
2011	1,214	69.3%	(66.0 - 72.5)	24,366	64.9%	(64.0 - 65.8)	+	510	80.0%	(75.3 - 83.9)	10,102	72.8%	(71.5 - 74.1)	+	704	58.4%	(53.8 - 62.9)	14,264	56.8%	(55.5 - 58.1)	NS	Yes
2012	857	65.9%	(61.5 - 70.0)	18,385	65.0%	(64.0 - 66.0)	NS	345	72.1%	(65.5 - 77.8)	7,781	72.3%	(70.8 - 73.7)	NS	512	59.4%	(53.7 - 64.9)	10,604	57.6%	(56.2 - 59.0)	NS	Yes
2013	793	67.7%	(63.5 - 71.6)	16,250	65.5%	(64.2 - 66.7)	NS	331	77.8%	(71.9 - 82.7)	6,860	72.2%	(70.4 - 74.0)	NS	462	57.5%	(51.8 - 63.1)	9,390	58.5%	(56.8 - 60.2)	NS	Yes
2014	887	67.0%	(62.9 - 70.9)	21,130	66.7%	(65.6 - 67.8)	NS	392	74.5%	(68.4 - 79.7)	9,399	73.8%	(72.3 - 75.3)	NS	495	59.1%	(53.5 - 64.5)	11,731	59.2%	(57.7 - 60.7)	NS	Yes
2015	738	65.5%	(60.8 - 69.9)	16,265	67.0%	(65.8 - 68.2)	NS	320	69.1%	(61.9 - 75.5)	7,323	73.4%	(71.7 - 75.1)	NS	418	61.7%	(55.5 - 67.5)	8,942	60.2%	(58.6 - 61.9)	NS	No
2016	659	68.9%	(64.2 - 73.2)	14,173	68.5%	(67.3 - 69.8)	NS	316	75.1%	(68.4 - 80.9)	6,460	74.9%	(73.1 - 76.6)	NS	343	62.2%	(55.7 - 68.3)	7,713	61.8%	(59.9 - 63.6)	NS	Yes
Nutrition																						
Consumed sugar-sweetened beverages 1 or more times per day in past 30 days																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	382	28.5%	(22.7 - 35.1)	7,822	28.5%	(26.8 - 30.3)	NS	152	39.9%	(30.6 - 50.0)	3,164	35.8%	(33.1 - 38.5)	NS	230	16.9%	(11.2 - 24.7)	4,658	21.7%	(19.7 - 24.0)	NS	Yes
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Currently watching or reducing sodium or salt intake																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	381	45.3%	(39.3 - 51.4)	7,818	46.3%	(44.6 - 48.1)	NS	150	43.4%	(34.1 - 53.1)	3,165	43.4%	(40.8 - 46.0)	NS	231	47.2%	(39.7 - 54.9)	4,653	49.1%	(46.8 - 51.5)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	355	43.0%	(36.8 - 49.5)	7,892	46.8%	(45.0 - 48.5)	NS	146	37.0%	(28.1 - 46.8)	3,436	46.0%	(43.4 - 48.7)	NS	209	48.1%	(39.7 - 56.7)	4,456	47.5%	(45.2 - 49.8)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Median times per day consumed fruits																						
2011	1,189	0.99	(0.97 - 1.07)	24,090	1.02	(1.02 - 1.04)	NS	487	0.95	(0.81 - 0.98)	9,660	0.99	(0.99 - 1.00)	-	702	1.13	(1.00 - 1.21)	14,430	1.14	(1.13 - 1.14)	NS	Yes
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	753	0.99	(0.98 - 1.08)	15,949	1.00	(1.00 - 1.00)	NS	302	0.97	(0.78 - 1.00)	6,462	0.99	(0.99 - 1.00)	NS	451	1.06	(0.99 - 1.15)	9,487	1.07	(1.06 - 1.14)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	737	1.02	(0.98 - 1.14)	16,135	1.00	(1.00 - 1.00)	NS	306	0.99	(0.88 - 1.13)	6,899	0.99	(0.98 - 1.00)	NS	431	1.07	(0.98 - 1.23)	9,236	1.03	(1.02 - 1.09)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Consumed fruits less than 1 time per day																						
2011	1,189	41.1%	(37.6 - 44.6)	24,090	40.1%	(39.2 - 41.1)	NS	487	48.0%	(42.6 - 53.4)	9,660	46.2%	(44.8 - 47.6)	NS	702	34.3%	(30.2 - 38.7)	14,430	34.3%	(33.1 - 35.6)	NS	Yes
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	753	41.0%	(36.8 - 45.4)	15,949	39.7%	(38.5 - 41.0)	NS	302	48.7%	(42.0 - 55.4)	6,462	45.4%	(43.4 - 47.3)	NS	451	33.9%	(28.7 - 39.5)	9,487	34.4%	(32.8 - 36.1)	NS	Yes
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	737	37.5%	(33.0 - 42.1)	16,135	41.1%	(39.9 - 42.4)	NS	306	42.3%	(35.5 - 49.5)	6,899	47.4%	(45.6 - 49.3)	NS	431	32.8%	(27.3 - 38.9)	9,236	35.1%	(33.5 - 36.7)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Two Rivers			State of NE			Two Rivers			State of NE			Two Rivers			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Median times per day consumed vegetables																							
2011	1,187	1.50	(1.43 - 1.61)	23,785	1.46	(1.44 - 1.50)	NS	486	1.42	(1.28 - 1.54)	9,534	1.35	(1.33 - 1.41)	NS	701	1.66	(1.54 - 1.76)	14,251	1.57	(1.57 - 1.61)	NS	Yes	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	748	1.57	(1.43 - 1.66)	15,700	1.57	(1.55 - 1.58)	NS	301	1.55	(1.36 - 1.66)	6,373	1.43	(1.42 - 1.50)	NS	447	1.57	(1.43 - 1.73)	9,327	1.70	(1.66 - 1.73)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	713	1.54	(1.43 - 1.69)	15,850	1.53	(1.50 - 1.58)	NS	297	1.54	(1.39 - 1.75)	6,786	1.42	(1.40 - 1.46)	NS	416	1.55	(1.39 - 1.74)	9,064	1.62	(1.58 - 1.69)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Consumed vegetables less than 1 time per day																							
2011	1,187	25.6%	(22.7 - 28.8)	23,785	26.2%	(25.4 - 27.1)	NS	486	29.7%	(25.1 - 34.9)	9,534	29.7%	(28.4 - 31.0)	NS	701	21.6%	(18.2 - 25.6)	14,251	22.9%	(21.8 - 24.1)	NS	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	748	22.1%	(18.6 - 25.9)	15,700	23.3%	(22.2 - 24.4)	NS	301	23.2%	(18.2 - 29.1)	6,373	26.6%	(25.0 - 28.4)	NS	447	21.0%	(16.5 - 26.3)	9,327	20.1%	(18.7 - 21.6)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	713	26.7%	(22.7 - 31.2)	15,850	24.7%	(23.7 - 25.9)	NS	297	28.3%	(22.2 - 35.3)	6,786	28.3%	(26.6 - 30.0)	NS	416	25.3%	(20.3 - 31.0)	9,064	21.4%	(20.1 - 22.8)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Physical Activity																							
No leisure-time physical activity in past 30 days [^]																							
2011	1,219	28.6%	(25.5 - 31.9)	24,433	26.3%	(25.5 - 27.1)	NS	497	32.3%	(27.4 - 37.7)	9,795	27.2%	(26.0 - 28.5)	NS	722	24.9%	(21.4 - 28.8)	14,638	25.4%	(24.3 - 26.5)	NS	No	
2012	901	21.7%	(18.6 - 25.2)	19,153	21.0%	(20.2 - 21.9)	NS	350	19.7%	(15.3 - 24.9)	7,865	20.4%	(19.3 - 21.7)	NS	551	23.7%	(19.4 - 28.5)	11,288	21.6%	(20.5 - 22.8)	NS	No	
2013	759	25.5%	(21.9 - 29.4)	16,158	25.3%	(24.2 - 26.4)	NS	307	26.6%	(21.1 - 32.8)	6,567	26.3%	(24.7 - 28.1)	NS	452	24.5%	(20.1 - 29.5)	9,591	24.3%	(22.9 - 25.8)	NS	No	
2014	933	21.2%	(18.0 - 24.7)	22,397	21.3%	(20.4 - 22.1)	NS	400	20.8%	(16.2 - 26.4)	9,599	21.2%	(20.0 - 22.5)	NS	533	21.5%	(17.5 - 26.2)	12,798	21.4%	(20.2 - 22.5)	NS	No	
2015	737	26.3%	(22.4 - 30.8)	16,319	25.3%	(24.3 - 26.4)	NS	306	28.1%	(21.8 - 35.3)	6,997	25.3%	(23.8 - 26.9)	NS	431	24.7%	(20.0 - 30.0)	9,322	25.4%	(24.0 - 26.8)	NS	No	
2016	707	22.8%	(19.3 - 26.8)	15,169	22.4%	(21.4 - 23.5)	NS	326	19.8%	(15.0 - 25.6)	6,633	20.7%	(19.3 - 22.3)	NS	381	25.9%	(20.8 - 31.6)	8,536	24.1%	(22.7 - 25.6)	NS	No	
Met aerobic physical activity recommendation [^]																							
2011	1,179	48.2%	(44.6 - 51.7)	23,735	49.0%	(48.0 - 49.9)	NS	487	44.8%	(39.6 - 50.2)	9,544	47.2%	(45.8 - 48.6)	NS	692	51.5%	(46.9 - 56.0)	14,191	50.6%	(49.4 - 51.9)	NS	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	737	51.6%	(47.1 - 56.0)	15,730	50.1%	(48.8 - 51.4)	NS	303	51.4%	(44.7 - 58.1)	6,416	48.8%	(46.9 - 50.7)	NS	434	51.7%	(45.9 - 57.4)	9,314	51.4%	(49.7 - 53.1)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	715	50.4%	(45.6 - 55.2)	15,878	51.3%	(50.0 - 52.5)	NS	300	46.6%	(39.5 - 53.8)	6,832	51.1%	(49.2 - 53.0)	NS	415	54.2%	(47.9 - 60.3)	9,046	51.4%	(49.8 - 53.1)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met muscle strengthening recommendation [^]																							
2011	1,206	27.3%	(24.0 - 30.8)	24,204	28.1%	(27.3 - 29.0)	NS	491	29.7%	(24.7 - 35.3)	9,697	32.0%	(30.6 - 33.4)	NS	715	25.0%	(21.0 - 29.3)	14,507	24.5%	(23.4 - 25.6)	NS	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	758	25.3%	(21.6 - 29.5)	16,021	28.4%	(27.2 - 29.6)	NS	304	27.3%	(21.6 - 33.9)	6,499	31.0%	(29.2 - 32.8)	NS	454	23.5%	(18.7 - 29.0)	9,522	26.0%	(24.5 - 27.6)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	729	29.7%	(25.5 - 34.4)	16,117	31.2%	(30.1 - 32.5)	NS	304	33.4%	(26.8 - 40.7)	6,893	34.9%	(33.1 - 36.8)	NS	425	26.2%	(21.0 - 32.1)	9,224	27.7%	(26.2 - 29.3)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met both aerobic physical activity and muscle strengthening recommendations [^]																							
2011	1,172	17.3%	(14.7 - 20.4)	23,567	19.0%	(18.2 - 19.8)	NS	483	15.2%	(11.6 - 19.7)	9,477	19.7%	(18.5 - 20.9)	NS	689	19.4%	(15.7 - 23.7)	14,090	18.4%	(17.4 - 19.4)	NS	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	733	18.5%	(15.1 - 22.5)	15,635	18.8%	(17.8 - 19.9)	NS	300	19.8%	(14.8 - 25.9)	6,366	19.4%	(17.9 - 21.0)	NS	433	17.3%	(13.0 - 22.7)	9,269	18.2%	(16.8 - 19.6)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	710	19.0%	(15.5 - 23.1)	15,724	21.8%	(20.7 - 22.9)	NS	300	18.7%	(13.9 - 24.8)	6,757	23.3%	(21.6 - 25.1)	NS	410	19.3%	(14.6 - 25.0)	8,967	20.3%	(18.9 - 21.7)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Walk for at least 10 minutes at a time for any reason during a usual week																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	356	80.8%	(75.2 - 85.3)	7,895	84.6%	(83.3 - 85.8)	NS	147	77.2%	(67.2 - 84.8)	3,442	84.2%	(82.2 - 86.0)	NS	209	83.8%	(77.5 - 88.6)	4,453	85.1%	(83.4 - 86.6)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Two Rivers			State of NE			Sig ^d	Two Rivers			State of NE			Sig ^d	Two Rivers			State of NE			Sig ^d	
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b		95% C.I. ^c (Low - High)
Have access to safe places to walk in their neighborhood																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2015	357	88.2%	(83.4 - 91.7)	7,893	88.4%	(87.2 - 89.4)	NS	148	85.5%	(76.7 - 91.4)	3,439	88.8%	(87.2 - 90.3)	NS	209	90.4%	(85.2 - 93.9)	4,454	87.9%	(86.3 - 89.3)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Injury																						
Always wear a seatbelt when driving or riding in a car [^]																						
2011	1,199	57.0%	(53.5 - 60.5)	24,208	71.3%	(70.5 - 72.1)	-	488	44.7%	(39.5 - 50.1)	9,683	63.7%	(62.4 - 65.0)	-	711	69.0%	(64.5 - 73.1)	14,525	78.6%	(77.5 - 79.5)	-	Yes
2012	885	59.3%	(55.1 - 63.5)	18,851	69.7%	(68.7 - 70.6)	-	345	49.3%	(42.9 - 55.8)	7,731	61.7%	(60.2 - 63.2)	-	540	69.1%	(63.5 - 74.1)	11,120	77.3%	(76.1 - 78.4)	-	Yes
2013	756	62.1%	(57.7 - 66.3)	16,053	74.1%	(73.0 - 75.2)	-	302	52.0%	(45.3 - 58.6)	6,520	67.0%	(65.3 - 68.7)	-	454	71.6%	(66.0 - 76.6)	9,533	80.8%	(79.5 - 82.1)	-	Yes
2014	898	62.9%	(58.8 - 66.9)	21,599	72.4%	(71.5 - 73.3)	-	382	53.3%	(46.9 - 59.5)	9,241	64.7%	(63.2 - 66.2)	-	516	72.0%	(66.7 - 76.7)	12,358	79.8%	(78.7 - 80.9)	-	Yes
2015	727	64.9%	(60.0 - 69.5)	16,136	75.4%	(74.4 - 76.4)	-	305	57.8%	(50.5 - 64.8)	6,900	68.2%	(66.5 - 69.9)	-	422	71.9%	(65.5 - 77.5)	9,236	82.3%	(81.1 - 83.4)	-	Yes
2016	682	60.0%	(55.4 - 64.5)	14,628	73.8%	(72.7 - 74.9)	-	312	47.6%	(40.9 - 54.4)	6,370	66.8%	(65.0 - 68.5)	-	370	72.1%	(65.9 - 77.6)	8,258	80.6%	(79.2 - 81.8)	-	Yes
Texted while driving in past 30 days																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	548	30.3%	(25.7 - 35.5)	11,451	26.8%	(25.6 - 27.9)	NS	217	40.3%	(32.8 - 48.4)	4,757	29.2%	(27.5 - 31.0)	+	331	21.1%	(15.8 - 27.6)	6,694	24.4%	(22.8 - 26.0)	NS	Yes
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	346	26.0%	(20.3 - 32.6)	7,620	24.9%	(23.3 - 26.6)	NS	149	31.1%	(22.4 - 41.3)	3,209	27.6%	(25.0 - 30.3)	NS	197	20.8%	(14.3 - 29.3)	4,411	22.3%	(20.3 - 24.4)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Talked on a cell phone while driving in past 30 days																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	547	71.8%	(67.1 - 76.0)	11,424	69.1%	(68.0 - 70.2)	NS	216	74.7%	(67.3 - 80.9)	4,742	71.5%	(69.9 - 73.2)	NS	331	69.1%	(63.0 - 74.6)	6,682	66.7%	(65.2 - 68.2)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	344	63.1%	(55.6 - 69.9)	7,604	67.0%	(65.3 - 68.6)	NS	148	66.3%	(55.6 - 75.5)	3,203	71.0%	(68.5 - 73.3)	NS	196	59.8%	(49.4 - 69.4)	4,401	63.1%	(60.8 - 65.2)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Had a fall in past year, aged 45 years and older																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	648	28.9%	(24.8 - 33.5)	13,738	28.8%	(27.7 - 29.9)	NS	225	23.4%	(17.5 - 30.5)	5,384	26.9%	(25.3 - 28.5)	NS	423	33.1%	(27.6 - 39.0)	8,354	30.5%	(29.1 - 31.9)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	664	27.0%	(23.4 - 31.0)	15,671	26.1%	(25.1 - 27.1)	NS	269	24.2%	(18.8 - 30.6)	6,513	24.5%	(23.0 - 26.1)	NS	395	29.4%	(24.6 - 34.7)	9,158	27.6%	(26.2 - 29.0)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	472	30.8%	(26.2 - 35.8)	10,369	29.0%	(27.7 - 30.3)	NS	199	28.7%	(21.9 - 36.6)	4,333	28.1%	(26.2 - 30.1)	NS	273	32.3%	(26.4 - 38.9)	6,036	29.7%	(28.0 - 31.5)	NS	No
Injured due to a fall in past year, aged 45 years and older																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	648	10.7%	(8.0 - 14.0)	13,719	9.9%	(9.2 - 10.6)	NS	225	7.4%	(4.2 - 12.8)	5,377	7.7%	(6.7 - 8.7)	NS	423	13.1%	(9.5 - 17.8)	8,342	11.8%	(10.9 - 12.9)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	661	8.1%	(6.0 - 11.0)	15,647	8.8%	(8.2 - 9.5)	NS	267	8.0%	(4.6 - 13.5)	6,502	6.8%	(6.0 - 7.7)	NS	394	8.3%	(5.8 - 11.6)	9,145	10.6%	(9.7 - 11.6)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	472	11.1%	(8.2 - 14.8)	10,367	10.1%	(9.3 - 11.0)	NS	199	7.1%	(4.0 - 12.3)	4,333	7.8%	(6.8 - 9.0)	NS	273	14.1%	(9.9 - 19.7)	6,034	12.2%	(11.0 - 13.6)	NS	No
Mental Health																						
Ever told they have depression																						
2011	1,254	14.1%	(12.0 - 16.6)	25,333	16.8%	(16.2 - 17.5)	NS	514	9.1%	(6.6 - 12.6)	10,198	11.5%	(10.7 - 12.4)	NS	740	18.9%	(15.7 - 22.7)	15,135	22.0%	(21.0 - 23.0)	NS	Yes
2012	895	15.5%	(12.7 - 18.8)	19,115	16.7%	(16.0 - 17.5)	NS	346	10.0%	(6.8 - 14.5)	7,853	12.4%	(11.4 - 13.5)	NS	549	20.8%	(16.6 - 25.7)	11,262	20.9%	(19.8 - 22.1)	NS	Yes
2013	816	15.4%	(12.7 - 18.5)	17,065	18.2%	(17.3 - 19.2)	NS	334	10.2%	(7.0 - 14.7)	6,940	12.9%	(11.6 - 14.2)	NS	482	20.4%	(16.4 - 25.0)	10,125	23.4%	(22.0 - 24.8)	NS	Yes
2014	929	15.9%	(13.2 - 19.1)	22,346	17.7%	(16.9 - 18.6)	NS	399	11.9%	(8.5 - 16.5)	9,582	13.0%	(11.8 - 14.2)	NS	530	19.9%	(15.9 - 24.5)	12,764	22.3%	(21.1 - 23.5)	NS	No
2015	795	18.0%	(14.8 - 21.8)	17,485	17.5%	(16.7 - 18.5)	NS	330	9.1%	(6.0 - 13.7)	7,534	12.4%	(11.3 - 13.7)	NS	465	26.7%	(21.6 - 32.6)	9,951	22.5%	(21.2 - 23.8)	NS	Yes
2016	703	16.0%	(12.9 - 19.6)	15,138	17.8%	(16.8 - 18.8)	NS	325	12.7%	(8.8 - 18.1)	6,609	12.1%	(10.9 - 13.4)	NS	378	19.2%	(14.8 - 24.4)	8,529	23.4%	(21.8 - 25.0)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Two Rivers			State of NE			Two Rivers			State of NE			Two Rivers			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Frequent Mental Distress in past 30 days																						
2011	1,235	8.0%	(6.3 - 10.1)	25,036	9.2%	(8.7 - 9.7)	NS	505	8.0%	(5.5 - 11.4)	10,097	7.7%	(7.0 - 8.4)	NS	730	8.0%	(5.9 - 10.8)	14,939	10.7%	(9.9 - 11.5)	NS	No
2012	887	7.3%	(5.4 - 10.0)	18,935	9.0%	(8.4 - 9.7)	NS	344	5.7%	(3.2 - 10.0)	7,786	7.4%	(6.6 - 8.3)	NS	543	9.0%	(6.3 - 12.6)	11,149	10.6%	(9.7 - 11.5)	NS	No
2013	808	8.0%	(5.8 - 10.9)	16,889	8.9%	(8.2 - 9.6)	NS	333	7.2%	(4.4 - 11.5)	6,889	6.8%	(5.9 - 7.9)	NS	475	8.8%	(5.8 - 13.2)	10,000	10.9%	(9.8 - 12.0)	NS	No
2014	919	6.9%	(5.0 - 9.4)	22,132	8.2%	(7.6 - 8.8)	NS	396	5.8%	(3.4 - 9.7)	9,483	6.4%	(5.6 - 7.3)	NS	523	8.0%	(5.3 - 11.7)	12,649	9.9%	(9.0 - 10.8)	NS	No
2015	789	7.9%	(5.8 - 10.6)	17,369	8.9%	(8.2 - 9.6)	NS	326	4.8%	(2.8 - 8.3)	7,491	6.9%	(6.0 - 7.9)	NS	463	10.8%	(7.6 - 15.2)	9,878	10.8%	(9.8 - 11.9)	NS	No
2016	700	8.1%	(6.0 - 10.9)	15,035	9.5%	(8.7 - 10.4)	NS	324	7.6%	(4.7 - 12.0)	6,568	7.0%	(6.0 - 8.1)	NS	376	8.6%	(5.8 - 12.7)	8,467	12.0%	(10.8 - 13.3)	NS	No
Currently taking medication or receiving treatment for a mental health condition																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	304	9.8%	(6.4 - 14.6)	6,643	11.0%	(10.0 - 12.1)	NS	113	8.5%	(4.1 - 17.0)	2,693	7.4%	(6.2 - 8.9)	NS	191	11.0%	(6.7 - 17.4)	3,950	14.5%	(12.9 - 16.2)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms of serious mental illness in past 30 days																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	302	2.2%	(0.7 - 6.5)	6,555	3.2%	(2.6 - 3.9)	NS	113	0.5%	(0.1 - 3.4)	2,657	2.5%	(1.8 - 3.7)	NS	189	3.9%	(1.1 - 12.2)	3,898	3.8%	(2.9 - 4.9)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcohol and Drug Use																						
Any alcohol consumption in past 30 days																						
2011	1,197	56.4%	(52.9 - 59.9)	24,051	61.8%	(60.9 - 62.7)	-	489	64.1%	(58.5 - 69.3)	9,597	67.7%	(66.4 - 69.1)	NS	708	49.0%	(44.5 - 53.5)	14,454	56.2%	(55.0 - 57.4)	-	Yes
2012	887	61.7%	(57.5 - 65.6)	18,891	61.3%	(60.3 - 62.3)	NS	344	70.6%	(64.3 - 76.2)	7,749	68.7%	(67.2 - 70.1)	NS	543	53.1%	(47.6 - 58.5)	11,142	54.2%	(52.8 - 55.6)	NS	Yes
2013	791	57.7%	(53.4 - 61.8)	16,614	57.5%	(56.2 - 58.7)	NS	324	65.9%	(59.6 - 71.7)	6,754	63.3%	(61.4 - 65.2)	NS	467	49.8%	(44.2 - 55.4)	9,860	51.8%	(50.2 - 53.5)	NS	Yes
2014	903	59.0%	(54.8 - 63.0)	21,612	59.2%	(58.1 - 60.3)	NS	387	69.2%	(63.0 - 74.7)	9,246	65.2%	(63.6 - 66.8)	NS	516	49.0%	(43.5 - 54.6)	12,366	53.4%	(52.0 - 54.9)	NS	Yes
2015	762	51.1%	(46.5 - 55.7)	16,939	57.6%	(56.4 - 58.8)	-	317	56.9%	(49.9 - 63.8)	7,282	63.8%	(62.0 - 65.5)	NS	445	45.4%	(39.4 - 51.5)	9,657	51.6%	(50.0 - 53.2)	NS	No
2016	684	56.7%	(52.1 - 61.1)	14,723	59.8%	(58.5 - 61.0)	NS	314	64.5%	(57.6 - 70.8)	6,421	68.0%	(66.1 - 69.8)	NS	370	49.1%	(43.0 - 55.2)	8,302	51.8%	(50.0 - 53.6)	NS	Yes
Binge drank in past 30 days^a																						
2011	1,193	18.7%	(16.0 - 21.7)	23,948	22.7%	(21.9 - 23.5)	-	488	25.8%	(21.4 - 30.8)	9,533	30.2%	(28.9 - 31.5)	NS	705	11.8%	(8.9 - 15.3)	14,415	15.7%	(14.7 - 16.7)	NS	Yes
2012	880	24.7%	(21.0 - 28.8)	18,742	22.1%	(21.3 - 23.0)	NS	343	33.6%	(27.6 - 40.1)	7,664	29.1%	(27.6 - 30.5)	NS	537	16.0%	(12.0 - 21.2)	11,078	15.5%	(14.5 - 16.6)	NS	Yes
2013	786	21.7%	(18.0 - 25.8)	16,500	20.0%	(19.0 - 21.1)	NS	321	29.0%	(23.1 - 35.8)	6,687	25.2%	(23.6 - 26.9)	NS	465	14.7%	(11.0 - 19.6)	9,813	15.0%	(13.8 - 16.4)	NS	Yes
2014	896	20.4%	(17.1 - 24.2)	21,443	20.3%	(19.4 - 21.3)	NS	384	28.4%	(22.9 - 34.6)	9,149	26.8%	(25.3 - 28.3)	NS	512	12.7%	(9.2 - 17.1)	12,294	14.1%	(13.0 - 15.3)	NS	Yes
2015	760	19.2%	(15.6 - 23.5)	16,832	19.5%	(18.5 - 20.5)	NS	316	22.5%	(16.9 - 29.3)	7,216	26.0%	(24.4 - 27.8)	NS	444	16.0%	(11.8 - 21.4)	9,616	13.1%	(12.0 - 14.3)	NS	No
2016	679	20.2%	(16.6 - 24.4)	14,620	20.0%	(18.9 - 21.1)	NS	312	29.4%	(23.5 - 36.1)	6,367	27.2%	(25.4 - 29.0)	NS	367	11.2%	(7.6 - 16.4)	8,253	13.1%	(11.9 - 14.4)	NS	Yes
Heavy drinking in past 30 days																						
2011	1,193	7.0%	(5.4 - 9.0)	23,906	7.5%	(7.0 - 8.1)	NS	487	9.6%	(6.9 - 13.0)	9,514	9.2%	(8.4 - 10.2)	NS	706	4.5%	(2.9 - 6.9)	14,392	5.9%	(5.2 - 6.6)	NS	Yes
2012	877	6.2%	(4.5 - 8.5)	18,738	7.2%	(6.6 - 7.7)	NS	340	7.9%	(5.1 - 12.1)	7,668	8.5%	(7.7 - 9.4)	NS	537	4.5%	(2.8 - 7.2)	11,070	5.9%	(5.3 - 6.6)	NS	No
2013	788	7.9%	(5.6 - 10.9)	16,513	6.8%	(6.2 - 7.5)	NS	323	9.6%	(6.1 - 14.7)	6,698	7.3%	(6.4 - 8.3)	NS	465	6.2%	(3.8 - 10.2)	9,815	6.3%	(5.5 - 7.2)	NS	No
2014	892	6.0%	(4.4 - 8.3)	21,447	6.4%	(5.9 - 7.0)	NS	382	9.8%	(6.7 - 14.1)	9,158	7.5%	(6.7 - 8.5)	NS	510	2.4%	(1.3 - 4.3)	12,289	5.3%	(4.7 - 6.1)	-	Yes
2015	759	5.8%	(3.9 - 8.8)	16,815	5.7%	(5.1 - 6.4)	NS	314	8.2%	(4.8 - 13.6)	7,214	7.0%	(6.0 - 8.1)	NS	445	3.5%	(1.9 - 6.4)	9,601	4.6%	(3.9 - 5.3)	NS	No
2016	682	7.8%	(5.5 - 11.0)	14,634	6.6%	(5.9 - 7.3)	NS	314	11.3%	(7.5 - 16.7)	6,376	8.0%	(7.0 - 9.1)	NS	368	4.4%	(2.2 - 8.5)	8,258	5.2%	(4.4 - 6.2)	NS	No
Alcohol impaired driving in past 30 days																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	887	2.7%	(1.6 - 4.6)	18,895	3.4%	(3.1 - 3.8)	NS	344	5.0%	(2.8 - 8.7)	7,741	5.5%	(4.9 - 6.3)	NS	543	0.5%	(0.2 - 1.5)	11,154	1.4%	(1.1 - 1.8)	NS	Yes
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	901	2.0%	(1.1 - 3.7)	21,627	2.5%	(2.2 - 2.9)	NS	382	3.1%	(1.5 - 6.4)	9,242	4.2%	(3.5 - 4.9)	NS	519	1.0%	(0.3 - 2.8)	12,385	1.0%	(0.7 - 1.3)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	682	3.0%	(1.8 - 5.0)	14,666	3.4%	(2.9 - 3.9)	NS	312	4.9%	(2.7 - 8.7)	6,383	5.1%	(4.3 - 6.0)	NS	370	1.2%	(0.4 - 3.6)	8,283	1.7%	(1.3 - 2.4)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Two Rivers			State of NE			Two Rivers			State of NE			Two Rivers			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Took pain medication prescribed by doctor in past year																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	565	30.1%	(25.7 - 34.9)	11,767	30.2%	(29.1 - 31.4)	NS	221	27.9%	(21.6 - 35.2)	4,835	27.3%	(25.7 - 29.0)	NS	344	32.1%	(26.3 - 38.5)	6,932	33.0%	(31.5 - 34.6)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	357	33.4%	(27.5 - 39.9)	7,858	33.5%	(31.9 - 35.1)	NS	154	31.1%	(22.9 - 40.7)	3,283	28.9%	(26.6 - 31.4)	NS	203	35.8%	(27.7 - 44.8)	4,575	37.9%	(35.8 - 40.1)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Had leftover pain meds after last filled script, among those who took pain meds in past year																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	176	43.1%	(34.4 - 52.3)	3,848	49.2%	(46.9 - 51.4)	NS	66	45.9%	(32.3 - 60.1)	1,423	43.9%	(40.4 - 47.4)	NS	110	40.8%	(30.0 - 52.7)	2,425	53.4%	(50.5 - 56.3)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	126	40.5%	(30.2 - 51.7)	2,684	45.7%	(42.8 - 48.7)	NS	48	.*	.* - .*	995	42.6%	(37.9 - 47.4)	NA	78	41.0%	(28.0 - 55.4)	1,689	48.0%	(44.4 - 51.7)	NS	NA	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Used marijuana in past 30 days																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	658	3.8%	(2.3 - 6.3)	14,160	4.9%	(4.2 - 5.7)	NS	299	6.7%	(3.9 - 11.4)	6,143	7.2%	(6.0 - 8.6)	NS	359	1.0%	(0.3 - 4.1)	8,017	2.7%	(2.1 - 3.5)	NS	No	
Immunization and Infectious Disease																							
Had a flu vaccination in past year, aged 18 years and older																							
2011	1,201	44.4%	(41.0 - 47.8)	24,156	41.1%	(40.2 - 42.0)	NS	490	37.9%	(32.9 - 43.2)	9,663	35.1%	(33.8 - 36.5)	NS	711	50.7%	(46.2 - 55.2)	14,493	46.8%	(45.6 - 48.1)	NS	Yes	
2012	890	40.0%	(36.0 - 44.1)	18,903	42.2%	(41.2 - 43.2)	NS	346	35.8%	(30.2 - 41.9)	7,754	36.8%	(35.4 - 38.2)	NS	544	44.0%	(38.7 - 49.4)	11,149	47.5%	(46.1 - 48.8)	NS	No	
2013	757	44.6%	(40.4 - 48.9)	16,022	45.2%	(43.9 - 46.4)	NS	303	38.6%	(32.4 - 45.2)	6,506	41.2%	(39.4 - 43.1)	NS	454	50.2%	(44.6 - 55.9)	9,516	48.9%	(47.2 - 50.6)	NS	No	
2014	900	41.8%	(37.9 - 45.9)	21,638	43.9%	(42.9 - 45.0)	NS	383	38.5%	(32.8 - 44.6)	9,262	38.8%	(37.3 - 40.4)	NS	517	44.9%	(39.6 - 50.4)	12,376	48.9%	(47.4 - 50.3)	NS	No	
2015	726	46.4%	(41.8 - 51.1)	16,091	47.2%	(46.0 - 48.4)	NS	305	38.4%	(31.9 - 45.3)	6,883	40.8%	(39.0 - 42.6)	NS	421	54.3%	(48.0 - 60.5)	9,208	53.4%	(51.7 - 55.0)	NS	Yes	
2016	683	45.3%	(40.8 - 49.8)	14,685	44.4%	(43.1 - 45.7)	NS	313	40.1%	(33.7 - 46.8)	6,401	39.4%	(37.5 - 41.3)	NS	370	50.4%	(44.2 - 56.5)	8,284	49.3%	(47.6 - 51.1)	NS	No	
Had a flu vaccination in past year, aged 65 years and older ^a																							
2011	441	67.3%	(62.1 - 72.0)	8,185	61.8%	(60.3 - 63.3)	NS	151	69.0%	(59.8 - 76.8)	2,875	59.6%	(57.1 - 62.1)	NS	290	66.1%	(59.8 - 71.9)	5,310	63.4%	(61.5 - 65.3)	NS	No	
2012	327	58.8%	(52.0 - 65.4)	6,625	62.9%	(61.2 - 64.6)	NS	110	59.8%	(48.9 - 69.9)	2,327	60.9%	(58.1 - 63.6)	NS	217	58.2%	(49.4 - 66.5)	4,298	64.4%	(62.4 - 66.5)	NS	No	
2013	270	69.5%	(62.8 - 75.5)	5,652	66.2%	(64.2 - 68.1)	NS	87	68.6%	(56.8 - 78.4)	2,067	67.6%	(64.4 - 70.6)	NS	183	70.1%	(61.8 - 77.2)	3,585	65.0%	(62.6 - 67.4)	NS	No	
2014	357	69.4%	(63.7 - 74.5)	7,610	64.7%	(63.2 - 66.2)	NS	129	70.1%	(60.8 - 78.0)	2,971	65.9%	(63.5 - 68.3)	NS	228	68.9%	(61.6 - 75.4)	4,639	63.8%	(61.8 - 65.7)	NS	No	
2015	287	71.2%	(64.5 - 77.1)	5,578	65.2%	(63.4 - 67.0)	NS	113	67.5%	(56.6 - 76.8)	2,119	64.1%	(61.1 - 66.9)	NS	174	74.6%	(66.1 - 81.6)	3,459	66.1%	(63.9 - 68.2)	NS	No	
2016	244	64.1%	(57.0 - 70.6)	5,130	62.7%	(60.8 - 64.6)	NS	103	62.5%	(51.2 - 72.5)	1,967	62.8%	(59.8 - 65.6)	NS	141	65.4%	(56.2 - 73.5)	3,163	62.7%	(60.2 - 65.1)	NS	No	
Ever had a pneumonia vaccination, aged 65 years and older ^a																							
2011	431	73.2%	(68.1 - 77.7)	7,997	70.3%	(68.8 - 71.7)	NS	147	63.1%	(53.8 - 71.6)	2,772	66.7%	(64.2 - 69.1)	NS	284	79.6%	(74.0 - 84.3)	5,225	72.9%	(71.2 - 74.5)	NS	Yes	
2012	317	77.3%	(71.0 - 82.6)	6,413	70.0%	(68.4 - 71.6)	NS	104	78.9%	(67.7 - 86.9)	2,225	66.9%	(64.1 - 69.6)	NS	213	76.3%	(68.3 - 82.8)	4,188	72.3%	(70.3 - 74.1)	NS	No	
2013	260	76.5%	(69.5 - 82.2)	5,478	71.7%	(69.8 - 73.4)	NS	84	73.3%	(61.2 - 82.7)	1,970	71.5%	(68.5 - 74.3)	NS	176	78.5%	(69.8 - 85.3)	3,508	71.8%	(69.4 - 74.0)	NS	No	
2014	342	73.5%	(68.1 - 78.4)	7,372	72.3%	(70.9 - 73.7)	NS	121	65.7%	(56.0 - 74.2)	2,849	70.3%	(67.9 - 72.5)	NS	221	78.5%	(71.9 - 84.0)	4,523	73.9%	(72.1 - 75.7)	NS	No	
2015	281	80.0%	(74.0 - 85.0)	5,452	73.8%	(72.1 - 75.4)	NS	110	74.0%	(63.7 - 82.2)	2,056	70.3%	(67.4 - 73.0)	NS	171	85.6%	(78.6 - 90.6)	3,396	76.5%	(74.5 - 78.4)	+	No	
2016	239	83.6%	(77.6 - 88.2)	5,060	75.9%	(74.2 - 77.5)	+	101	86.3%	(77.7 - 91.8)	1,927	73.7%	(70.9 - 76.3)	+	138	81.4%	(72.6 - 87.9)	3,133	77.6%	(75.5 - 79.7)	NS	No	
Had a tetanus vaccination since 2005																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	681	60.1%	(55.7 - 64.4)	14,650	60.2%	(58.9 - 61.5)	NS	275	68.6%	(62.2 - 74.4)	6,015	63.1%	(61.1 - 65.0)	NS	406	52.3%	(46.3 - 58.2)	8,635	57.4%	(55.6 - 59.1)	NS	Yes	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	632	64.5%	(59.9 - 68.9)	13,574	64.2%	(62.9 - 65.4)	NS	291	67.1%	(60.0 - 73.5)	5,939	67.5%	(65.5 - 69.3)	NS	341	62.0%	(55.8 - 67.8)	7,635	60.9%	(59.2 - 62.7)	NS	No	

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Two Rivers			State of NE			Two Rivers			State of NE			Two Rivers			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Ever had a shingles vaccination, aged 50 years and older																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	620	33.0%	(29.1 - 37.2)	14,246	27.9%	(26.9 - 28.9)	+	250	27.9%	(22.3 - 34.3)	5,892	25.7%	(24.2 - 27.3)	NS	370	37.3%	(31.9 - 42.9)	8,354	29.8%	(28.4 - 31.3)	+	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ever been tested for HIV, 18-64 year olds (excluding blood donation)																						
2011	740	30.3%	(26.4 - 34.6)	15,561	30.8%	(29.7 - 31.8)	NS	330	28.2%	(22.4 - 34.7)	6,612	28.4%	(27.0 - 29.9)	NS	410	32.6%	(27.4 - 38.4)	8,949	33.1%	(31.7 - 34.6)	NS	No
2012	551	22.7%	(18.6 - 27.3)	11,879	30.9%	(29.8 - 32.1)	-	232	20.1%	(14.9 - 26.6)	5,254	27.9%	(26.3 - 29.5)	NS	319	25.4%	(19.6 - 32.1)	6,625	34.0%	(32.4 - 35.7)	-	No
2013	463	29.1%	(24.5 - 34.2)	10,049	31.8%	(30.3 - 33.3)	NS	203	25.4%	(18.9 - 33.2)	4,304	29.1%	(27.0 - 31.3)	NS	260	32.8%	(26.6 - 39.7)	5,745	34.4%	(32.5 - 36.4)	NS	No
2014	521	25.9%	(21.6 - 30.7)	13,474	30.9%	(29.6 - 32.2)	NS	244	26.0%	(20.0 - 33.2)	6,042	28.6%	(26.8 - 30.5)	NS	277	25.7%	(20.0 - 32.5)	7,432	33.2%	(31.4 - 35.0)	NS	No
2015	428	30.3%	(25.2 - 35.9)	10,152	32.0%	(30.6 - 33.5)	NS	187	26.8%	(19.7 - 35.3)	4,604	29.2%	(27.2 - 31.4)	NS	241	33.8%	(26.9 - 41.5)	5,548	34.9%	(32.9 - 36.9)	NS	No
2016	420	23.2%	(18.9 - 28.1)	9,145	31.9%	(30.4 - 33.5)	-	197	19.8%	(14.2 - 26.9)	4,263	28.5%	(26.4 - 30.7)	NS	223	26.5%	(20.5 - 33.6)	4,882	35.4%	(33.2 - 37.6)	NS	No
Oral Health																						
Visited a dentist or dental clinic for any reason in past year^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	894	68.2%	(64.1 - 72.1)	19,052	67.6%	(66.6 - 68.5)	NS	348	65.0%	(58.5 - 71.0)	7,827	64.2%	(62.7 - 65.6)	NS	546	71.4%	(66.2 - 76.1)	11,225	70.9%	(69.6 - 72.1)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	925	64.8%	(60.5 - 68.9)	22,258	66.4%	(65.4 - 67.4)	NS	398	64.0%	(57.4 - 70.1)	9,544	63.2%	(61.7 - 64.8)	NS	527	65.6%	(59.9 - 70.9)	12,714	69.5%	(68.1 - 70.8)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	702	63.8%	(59.3 - 68.2)	15,089	68.7%	(67.5 - 69.9)	NS	323	55.4%	(48.5 - 62.0)	6,597	65.9%	(64.1 - 67.7)	-	379	72.1%	(66.4 - 77.2)	8,492	71.4%	(69.8 - 73.0)	NS	Yes
Had any permanent teeth extracted due to tooth decay or gum disease																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	883	43.2%	(39.1 - 47.4)	18,824	39.8%	(38.8 - 40.8)	NS	343	42.5%	(36.3 - 48.9)	7,750	39.2%	(37.7 - 40.6)	NS	540	43.9%	(38.6 - 49.3)	11,074	40.4%	(39.1 - 41.7)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	913	42.2%	(38.2 - 46.3)	22,085	39.1%	(38.1 - 40.1)	NS	395	42.4%	(36.4 - 48.7)	9,490	39.4%	(37.9 - 40.9)	NS	518	42.0%	(36.8 - 47.4)	12,595	38.9%	(37.5 - 40.2)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	698	37.7%	(33.6 - 41.9)	14,988	38.2%	(37.0 - 39.4)	NS	323	39.2%	(33.2 - 45.7)	6,559	37.6%	(35.8 - 39.3)	NS	375	36.1%	(30.8 - 41.8)	8,429	38.9%	(37.3 - 40.5)	NS	No
Had any permanent teeth extracted due to tooth decay or gum disease, 45-64 year olds^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	323	51.6%	(45.1 - 58.0)	7,138	47.7%	(46.1 - 49.3)	NS	117	51.7%	(41.2 - 62.1)	3,077	48.7%	(46.3 - 51.1)	NS	206	51.5%	(43.5 - 59.4)	4,061	46.7%	(44.6 - 48.8)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	316	49.7%	(43.5 - 56.0)	8,200	45.9%	(44.3 - 47.5)	NS	146	53.0%	(43.7 - 62.2)	3,631	47.5%	(45.1 - 50.0)	NS	170	46.4%	(38.4 - 54.5)	4,569	44.3%	(42.1 - 46.5)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	233	47.7%	(40.6 - 54.8)	5,356	45.1%	(43.1 - 47.1)	NS	101	50.2%	(39.3 - 61.0)	2,446	46.4%	(43.5 - 49.3)	NS	132	45.7%	(36.5 - 55.2)	2,910	43.8%	(41.2 - 46.5)	NS	No
Had all permanent teeth extracted due to tooth decay or gum disease, aged 65 years and older																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	321	12.1%	(8.6 - 16.6)	6,502	13.4%	(12.3 - 14.5)	NS	107	11.3%	(6.5 - 18.8)	2,313	12.0%	(10.3 - 13.9)	NS	214	12.6%	(8.2 - 18.8)	4,189	14.4%	(13.0 - 16.0)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	353	16.8%	(12.7 - 21.9)	7,657	14.1%	(13.0 - 15.2)	NS	133	15.6%	(9.8 - 23.7)	3,010	14.4%	(12.8 - 16.3)	NS	220	17.7%	(12.4 - 24.7)	4,647	13.8%	(12.5 - 15.2)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	247	10.6%	(7.1 - 15.7)	5,179	13.2%	(11.9 - 14.6)	NS	106	11.1%	(6.0 - 19.7)	1,993	10.6%	(9.0 - 12.5)	NS	141	10.2%	(5.9 - 17.1)	3,186	15.3%	(13.5 - 17.3)	NS	No
Had all permanent teeth extracted due to tooth decay or gum disease, 65-74 year olds^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	152	11.2%	(6.7 - 18.0)	3,149	11.3%	(9.9 - 12.8)	NS	50	9.4%	(4.1 - 20.1)	1,268	9.3%	(7.5 - 11.4)	NS	102	12.5%	(6.6 - 22.4)	1,881	13.1%	(11.1 - 15.3)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	175	12.4%	(7.9 - 19.0)	4,089	10.9%	(9.6 - 12.3)	NS	69	13.7%	(6.9 - 25.4)	1,804	12.0%	(9.9 - 14.4)	NS	106	11.4%	(6.1 - 20.1)	2,285	9.8%	(8.3 - 11.7)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	128	6.8%	(3.2 - 13.9)	2,815	10.4%	(9.0 - 12.0)	NS	60	8.1%	(2.9 - 20.7)	1,168	8.8%	(6.9 - 11.2)	NS	68	5.6%	(1.8 - 15.6)	1,647	11.8%	(9.9 - 14.1)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Two Rivers			State of NE			Two Rivers			State of NE			Two Rivers			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Had teeth cleaned by dentist/hygienist in past year, among those with 1+ permanent teeth																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	642	62.2%	(57.5 - 66.8)	13,764	67.4%	(66.1 - 68.6)	NS	294	53.9%	(46.8 - 60.8)	6,092	63.9%	(62.0 - 65.8)	-	348	70.3%	(64.2 - 75.8)	7,672	70.8%	(69.1 - 72.5)	NS	Yes	
Social Context																							
Housing insecurity in past year, among those who own or rent their home ^a																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	281	26.7%	(20.1 - 34.4)	6,089	26.6%	(25.0 - 28.3)	NS	102	19.4%	(11.4 - 31.1)	2,481	24.7%	(22.3 - 27.3)	NS	179	33.0%	(24.0 - 43.5)	3,608	28.5%	(26.3 - 30.8)	NS	No	
2013	358	26.5%	(21.2 - 32.5)	7,324	28.8%	(27.1 - 30.5)	NS	146	21.2%	(14.3 - 30.4)	2,961	25.0%	(22.5 - 27.7)	NS	212	32.1%	(24.9 - 40.2)	4,363	32.3%	(30.0 - 34.7)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	346	30.6%	(24.0 - 38.2)	7,461	28.5%	(26.8 - 30.2)	NS	152	26.0%	(17.7 - 36.4)	3,109	26.6%	(24.2 - 29.2)	NS	194	35.3%	(25.7 - 46.3)	4,352	30.3%	(28.1 - 32.5)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Food insecurity in past year ^a																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	302	16.0%	(10.7 - 23.1)	6,621	17.6%	(16.2 - 19.0)	NS	111	13.5%	(6.9 - 24.6)	2,684	13.9%	(12.1 - 16.0)	NS	191	18.2%	(11.2 - 28.4)	3,937	21.1%	(19.1 - 23.2)	NS	No	
2013	381	16.8%	(12.5 - 22.2)	7,828	19.0%	(17.6 - 20.6)	NS	150	12.2%	(6.7 - 21.1)	3,159	15.4%	(13.4 - 17.7)	NS	231	21.4%	(15.5 - 28.8)	4,669	22.5%	(20.5 - 24.6)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	361	19.6%	(14.8 - 25.6)	7,918	21.0%	(19.5 - 22.5)	NS	156	15.7%	(9.4 - 25.1)	3,309	17.9%	(15.8 - 20.2)	NS	205	23.7%	(16.8 - 32.2)	4,609	24.0%	(22.1 - 26.1)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caregiving																							
Provided regular care/assistance in past month to friend or family member with health issue																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	356	24.1%	(19.0 - 30.1)	7,883	24.7%	(23.2 - 26.2)	NS	147	18.3%	(12.3 - 26.3)	3,434	21.1%	(19.1 - 23.4)	NS	209	29.1%	(21.6 - 37.9)	4,449	28.0%	(25.9 - 30.2)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cognitive Decline																							
Experienced more or worsening confusion or memory loss in past year, aged 45 years and older																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	261	10.4%	(6.6 - 16.2)	5,767	9.4%	(8.4 - 10.5)	NS	106	10.2%	(4.9 - 20.0)	2,436	10.2%	(8.7 - 12.0)	NS	155	10.7%	(5.8 - 18.7)	3,331	8.6%	(7.3 - 10.2)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Inadequate Sleep																							
Get less than 7 hours of sleep per day																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	813	28.4%	(24.7 - 32.4)	16,972	31.8%	(30.6 - 33.0)	NS	335	28.2%	(22.7 - 34.5)	6,927	32.6%	(30.8 - 34.4)	NS	478	28.5%	(23.8 - 33.8)	10,045	31.0%	(29.5 - 32.6)	NS	No	
2014	923	28.8%	(25.1 - 32.8)	22,172	30.0%	(29.0 - 31.0)	NS	397	33.1%	(27.4 - 39.4)	9,527	30.7%	(29.2 - 32.2)	NS	526	24.5%	(20.2 - 29.5)	12,645	29.4%	(28.1 - 30.7)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	698	27.6%	(23.6 - 31.9)	15,097	29.6%	(28.4 - 30.8)	NS	322	27.2%	(21.7 - 33.6)	6,610	29.7%	(27.9 - 31.5)	NS	376	27.9%	(22.5 - 33.9)	8,487	29.5%	(27.9 - 31.2)	NS	No	
Average hours of sleep per day																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	813	7.2	(7.1 - 7.3)	16,972	7.1	(7.0 - 7.1)	NS	335	7.2	(7.0 - 7.4)	6,927	7.0	(7.0 - 7.1)	NS	478	7.2	(7.0 - 7.3)	10,045	7.1	(7.0 - 7.1)	NS	No	
2014	923	7.1	(7.0 - 7.2)	22,172	7.1	(7.0 - 7.1)	NS	397	7.0	(6.8 - 7.1)	9,527	7.0	(7.0 - 7.1)	NS	526	7.2	(7.1 - 7.4)	12,645	7.1	(7.1 - 7.1)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	698	7.1	(7.0 - 7.2)	15,097	7.1	(7.1 - 7.1)	NS	322	7.1	(6.9 - 7.3)	6,610	7.1	(7.0 - 7.2)	NS	376	7.2	(7.0 - 7.3)	8,487	7.1	(7.1 - 7.2)	NS	No	

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Two Rivers			State of NE			Two Rivers			State of NE			Two Rivers			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Occupational Safety and Health																						
Work-related injury or illness in past year, among employed or recently out of work																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	238	3.4%	(1.4 - 7.7)	4,952	4.8%	(3.9 - 5.8)	NS	113	4.0%	(1.2 - 12.2)	2,246	6.1%	(4.8 - 7.7)	NS	125	2.6%	(0.9 - 7.6)	2,706	3.3%	(2.2 - 4.9)	NS	No
2014	276	6.9%	(3.8 - 12.3)	6,966	4.9%	(4.1 - 5.9)	NS	138	5.6%	(2.3 - 12.7)	3,403	5.4%	(4.4 - 6.7)	NS	138	8.7%	(3.8 - 19.0)	3,563	4.3%	(3.1 - 6.0)	NS	No
2015	240	4.7%	(1.9 - 10.9)	5,434	5.7%	(4.7 - 6.8)	NS	113	6.8%	(2.3 - 18.5)	2,727	7.1%	(5.6 - 9.0)	NS	127	2.6%	(0.6 - 10.0)	2,707	3.9%	(2.9 - 5.3)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Note: Data reflect the seven county LHD region of Buffalo, Dawson, Franklin, Gosper, Harlan, Kearney, and Phelps Counties

Note: Data reflect both landline and cell phone responses

Note: This table is not intended to be inclusive of all BRFSS indicators; some were excluded due to small numbers at the LHD level

Note: This table excludes 2011 BRFSS optional module and state added questions data due to the data being headline only

Note: The results in this table may be slightly different than results in previously published reports and tables due differences in the software used and/or how the statistical analysis code was written; these results were analyzed using SAS and SAS-callable SUDAAN software

^a Non-weighted sample size among adults 18 and older (unless different age group noted)

^b Weighted mean, median, or percentage (percentages are followed by the % symbol) among adults 18 and older (unless different age group noted)

^c Low and High are the lower and upper limits of the 95% confidence interval, respectively

^d Symbols represent: "+" = LHD value significantly higher than the state value; "-" = LHD value significantly lower than the state value; "NS" = LHD value not statistically different than the state value; significant differences based on 95% confidence interval overlap

^e Indicates whether there is a significant difference by gender within the LHD region, based on non-overlapping 95% confidence intervals; note that small sample sizes for males and females can make interpreting significance difficult due to large confidence intervals

^A Reflects a Nebraska Healthy People 2020 (HP2020) measure

* Data suppressed due to a small number of respondents (i.e., fewer than 50)

Source: Nebraska Behavioral Risk Factor Surveillance System (BRFSS); January 2018

